

Iowa WIC Program Formula Product Guide

January 2026



Available Formulas

Concentrate	
Enfamil Infant	Nutramigen
RCF	Similac Soy Isomil
Powder	
Alfamino Infant	Alfamino Junior
Baby's Only Pea Protein	Beneprotein
Calcilo XD	Complete Amino Acid Mix
Cyclinex-1 (Infant & Child)	Cyclinex- 2 (Child & Adult)
Duocal	Elec care (Infant)
Elec care Jr. (Child)	EnfaCare NeuroPro
Enfagrow Premium Gentlelease Toddler	Enfagrow Premium Toddler Milk Drink
Enfamil AR	Enfamil Gentlelease
Enfamil Infant	Enfamil Requiline
GA1 Anamix Early Years	Gerber Extensive HA
GlutarAde Amino Acid Blend	GlutarAde Essential GA-1 Drink Mix
GlutarAde Junior GA-1 Drink Mix	Glutarex-1
Glutarex-2	IVA Anamix Early Years
IVA Anamix Next	KetoCal 3:1
KetoCal 4:1	MCT Procal
Neocate with DHA/ARA	Neocate Junior with Prebiotics
Neocate Junior	Neocate Syneo
Neocate Syneo Junior	Nutramigen
Nutramigen with Probiotic LGG Toddler	MSUD Anamix Early Years
Peptigate	PKU Periflex Early Years
PKU Periflex Junior Plus	Phenex-2
Phenylade Drink Mix	Phenylade Essential Drink Mix

Phenylade MTE Amino Acid Blend	Pregestimil
Pro-Phree	PurAmino DHA & ARA
Puramino Jr.	Renastart
Scandishake	Similac Expert Care Alimentum
Similac Expert Care NeoSure	Similac PM 60/40
Similac Soy Isomil	Tolerex
TYR Anamix Early Years	TYR Anamix Next
Tyrex-1	Tyrex-2
UCD Anamix Junior	Vivonex Pediatric
Vivonex T.E.N.	Xphe Xtyr Analog
RTU	
BeneCalorie	Boost
Boost Breeze	Boost High Protein
Boost Kid Essentials	Boost Kid Essentials 1.5
Boost Kid Essentials 1.5 with Fiber	Carnation Breakfast Essentials
Compleat Pediatric Original	Compleat Pediatric Original 1.5
Compleat Pediatric Organic Blends	Compleat Pediatric Peptide
Compleat Pediatric Peptide 1.5	Compleat Pediatric Reduced Calorie
Compleat Pediatric Standard 1.0	Compleat Pediatric Standard 1.4
Enfacare NeuroPro	Enfagrow NeuroPro Toddler
Enfamil 24	Enfamil NeuroPro Infant
Enfamil NeuroPro Gentlease	Enfaport DHA/ARA
Ensure	Ensure Clear
Ensure Plus	Essential Care Jr.
Fortini	Functional Formularies Keto Peptide
Glucerna Shake	Kate Farms Nutrition
Kate Farms Pediatric Blended Meals	Kate Farms Pediatric Peptide 1.0
Kate Farms Pediatric Peptide 1.5	Kate Farms Pediatric Standard 1.2
Kate Farms Renal Support 1.8	KetoCal 4:1
KetoVie 3:1	KetoVie 4:1

<u>KetoVie 4:1 Peptide</u>	<u>KetoVie 4:1 Plant Based</u>
<u>Liquigen</u>	<u>MCT Oil</u>
<u>Nepro</u>	<u>Neocate Splash</u>
<u>Nourish</u>	<u>Nourish Peptide</u>
<u>Nutramigen</u>	<u>Nutren Junior</u>
<u>Nutren Jr. w/ Fiber</u>	<u>Novasource Renal</u>
<u>Pediasure Grow and Gain</u>	<u>Pediasure Grow and Gain with Fiber 6 pack</u>
<u>Pediasure Grow and Gain with Fiber 4 pack</u>	<u>Pediasure 1.5 Cal</u>
<u>Pediasure 1.5 Cal with Fiber</u>	<u>Pediasure Enteral</u>
<u>Pediasure Enteral with Fiber</u>	<u>Pediasure Harvest</u>
<u>Pediasure Peptide 1.0 Cal</u>	<u>Pediasure Peptide 1.5 Cal</u>
<u>Pediasure Reduced Calorie</u>	<u>Pediasure Sidekicks</u>
<u>Peptamen Junior</u>	<u>Peptamen Junior with Fiber</u>
<u>Peptamen Jr 1.5</u>	<u>Pregestimil 24 kcal</u>
<u>ProMod Liquid Protein</u>	<u>Resource 2.0</u>
<u>Similac Expert Care Alimentum</u>	<u>Similac Expert Care Neosure</u>
<u>Similac Soy Isomil</u>	<u>Similac Special Care 24</u>
<u>Similac Special Care 30</u>	<u>Suplena</u>
<u>TwoCal HN</u>	

In Range Partially Breastfed Infants – Maximum Formula Issuance

Infant Age	Formula Form	Total Formula Reconstitution
0-3 months	Concentrate	388 fluid oz.
	RTU	384 fluid oz.
	Powder	435 fluid oz.
4-5 months	Concentrate	460 fluid oz.
	RTU	474 fluid oz.
	Powder	522 fluid oz.
6-11 months	Concentrate	315 fluid oz.
	RTU	338 fluid oz.
	Powder	384 fluid oz.

Out of Range Partially Breastfed Infants – Maximum Formula Issuance

Infant Age	Formula Form	Total Formula Reconstitution
0-3 months	Concentrate	389 fluid oz.
	RTU	385 fluid oz.
	Powder	436 fluid oz.
4-5 months	Concentrate	461 fluid oz.
	RTU	475 fluid oz.
	Powder	523 fluid oz.
6-11 months	Concentrate	316 fluid oz.
	RTU	339 fluid oz.
	Powder	385 fluid oz.

Fully Formula Fed Infant – Maximum Formula Issuance

Infant Age	Formula Form	Total Formula Reconstitution
0 to 3 months	Concentrate	823 fluid oz.
	RTU	832 fluid oz.
	Powder	870 fluid oz.
4-5 months	Concentrate	896 fluid oz.
	RTU	913 fluid oz.
	Powder	960 fluid oz.
6-11 months	Concentrate	630 fluid oz.
	RTU	643 fluid oz.
	Powder	696 fluid oz.

Children and Women – Maximum Formula Issuance

Participant Type	Formula Form	Total Formula Reconstitution
Children	Concentrate	910 fluid oz.
	RTU	910 fluid oz.
	Powder	910 fluid oz.
Women	Concentrate	910 fluid oz.
	RTU	910 fluid oz.
	Powder	910 fluid oz.

Definitions:

Full nutrition benefit (FNB) is the minimum amount of reconstituted fluid ounces of liquid concentrate infant formula as specified for each infant food package category and feeding variation.

Maximum monthly allowance (MMA) is specified in reconstituted fluid ounces for liquid concentrate, RTF liquid and powder forms of infant formula and exempt infant formula.

Summary Tables of Food Packages

Foods	Fully Formula Fed (FF)		Partially (mostly) Breastfed (BF/FF)		Fully Breastfed (BF)	
	Food Packages I-FF & III-FF A: 0 through 3 months B: 4 through 5 months	Food Packages II-FF & III-FF 6 through 11 months	Food Packages IBF/FF & III BF/FF A: 0 through 3 months B: 4 through 5 months	Food Packages II BF/FF & III BF/FF 6 through 11 months	Food Package I-BF 0-5 months	Food Package II-BF 6-11 months
WIC Formula	A: FNB = Up to 806 fl oz. MMA= 823 fl reconstituted liquid concentrate or 832 fl oz. RTF or 870 fl oz. reconstituted powder B: FNB = Up to 884 fl oz. MMA = 896 fl oz.	FNB = Up to 624 fl oz. MMA = 630 fl oz. reconstituted liquid concentrate or 643 fl oz. RTF or 696 fl oz. reconstituted powder	A: FNB = Up to 364 fl oz. MMA = 388 fl oz. reconstituted liquid concentrate or 384 fl oz. RTF or 435 fl oz. reconstituted powder B: FNB = Up to 442 fl oz. MMA = 460 fl oz.	FNB = Up to 312 fl oz. MMA = 315 fl oz. reconstituted liquid concentrate or 338 fl oz. RTF or 384 fl oz. reconstituted powder	N/A	N/A

	reconstituted liquid concentrate or 913 fl oz. RTF or 960 fl oz. reconstituted powder		oz. reconstituted liquid concentrate or 474 fl oz. RTF or 522 fl oz. reconstituted powder			
Infant Cereal	N/A	8 oz.	N/A	8 oz.	N/A	16 oz.
Infant food fruits and vegetables	N/A	128 oz.	N/A	128 oz.	N/A	128 oz.
Infant food meat	N/A	N/A	N/A	N/A	N/A	40 oz.

Concentrate Formulas

Product Name: Enfamil Infant

Cat/Subcat: 21-100 (UPC: 3-00871-36741-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Milk-based, iron fortified, routine formula for full-term infants.	For infants (0-12 months)	13 oz.	26 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	14	BF Part In		
4-5 Months	17			
6-8 Months	12			
9-11 Months	12			
0-3 Months	15	BF Part Out		
4-5 Months	18			
6-8 Months	13			
9-11 Months	13			
0-3 Months	31	Fully Formula		
4-5 Months	34			
6-8 Months	24			
9-11 Months	24			
Children & Women	35			

Product Name: Nutramigen

Cat/Subcat: 31-002 (UPC: 3-00870-49801-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Hypoallergenic, casein hydrolysate infant formula. Iron fortified. Lactose free, sucrose free. Contains DHA/ARA.	For infants who are allergic to intact proteins in cow's milk and soy formulas	13 oz.	26 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	14	BF Part In		
4-5 Months	17			
6-8 Months	12			
9-11 Months	12			
0-3 Months	15	BF Part Out		
4-5 Months	18			
6-8 Months	13			
9-11 Months	13			
0-3 Months	31	Fully Formula		
4-5 Months	34			
6-8 Months	24			
9-11 Months	24			
Children & Women	35			

Product Name: RCF

Cat/Subcat: 31-028 (UPC: 0-70074-40108-9)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Soy-based formula with no added carbohydrates. Iron fortified. Formulated to allow physician to prescribe type and amount of carbohydrate (that can be tolerated) with the assurance that other nutrient needs will be met.	For the dietary management of patients unable to tolerate the type/amount of carbohydrate in milk or conventional infant formulas. For those with seizure disorders requiring a ketogenic diet.	13 oz.	26 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	14	BF Part In		
4-5 Months	17			
6-8 Months	12			
9-11 Months	12			
0-3 Months	15	BF Part Out		
4-5 Months	18			
6-8 Months	13			
9-11 Months	13			
0-3 Months	31	Fully Formula		
4-5 Months	34			
6-8 Months	24			
9-11 Months	24			
Children & Women	35			

Product Name: Similac Soy Isomil

Cat/Subcat: 21-032 (UPC: 0-70074-56976-5)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Nutritionally complete, soy-based infant formula. Iron fortified. Milk free, lactose free. Contains DHA.	For infants (0-12 months) with sensitivity to milk-based formula.	13 oz.	26 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	14	BF Part In		
4-5 Months	17			
6-8 Months	12			
9-11 Months	12			
0-3 Months	15	BF Part Out		
4-5 Months	18			
6-8 Months	13			
9-11 Months	13			
0-3 Months	31	Fully Formula		
4-5 Months	34			
6-8 Months	24			
9-11 Months	24			
Children & Women	35			

Powdered Formulas

Product Name: Alfamino Infant

Cat/Subcat: 31-093 (UPC: 7-613034-78821-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Hypoallergenic, free amino-acid based formula. 43% of fat as MCT. Lactose free, gluten free.	For infants (0-12 months) with multiple food allergies, eosinophilic GI disorders, malabsorptive conditions, or short bowel syndrome.	14.1 oz.	94 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	4	BF Part In		
4-5 Months	5			
6-8 Months	4			
9-11 Months	4			
0-3 Months	5	BF Part Out		
4-5 Months	6			
6-8 Months	5			
9-11 Months	5			
0-3 Months	9	Fully Formula		
4-5 Months	10			
6-8 Months	7			
9-11 Months	7			
Children & Women	--			

Product Name: Alfamino Junior

Cat/Subcat: 41-329 (UPC Unflavored: 7-613034-78795-8)

(UPC Chocolate: 7-613287-10606-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Hypoallergenic, free amino-acid based formula. 65% of fat as MCT. Lactose-free, gluten free.	For children 1-13 years with cow's milk protein allergy, multiple food allergies, eosinophilic GI disorders, malabsorptive conditions, or short bowel syndrome.	14.1 oz.	62 fl. oz.
Age	Qty			
Children & Women	14			

Product Name: Baby's Only Pea Protein (toddler formula)

Cat/Subcat: 41-356 (UPC: 7-16514-53980-5)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nature's One	Pea protein-based toddler formula. Free of dairy, soy, and gluten. Organic. Non-GMO.	For children over the age of 1 year with multiple food allergies.	12.7 oz	88 fl. Oz.
Age	Qty			
Children & Women	10			

Product Name: Beneprotein

Cat/Subcat: 41-281 (UPC 8 oz. can: 0-43900-28410-1)

(UPC 6 x 8 oz. case: 1-004390-028410-8)*

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	100% whey protein with no fillers, sweeteners, or artificial flavorings. Mixes instantly into a wide variety of foods and beverages. Gluten free, lactose free.	For individuals with elevated protein requirements, such as renal (dialysis) management, wound management, or malnutrition. Not intended as a sole source of nutrition.	8 oz. can	50 fl. oz.
Age		Qty		
Children & Women		18		

*Removes 6 cans from benefits

Product Name: Calcilo XD

Cat/Subcat: 31-025 (UPC: 0-70074-53329-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Low calcium, Vitamin D free formula. Nutritionally complete when prepared as directed. Lactose free, gluten free. Kosher, Halal.	For infants with hypercalcemia (as may occur in those with osteoporosis, Williams syndrome, and primary neonatal hyperparathyroidism). Must be medically supervised.	12.4 oz.	89 fl. oz.
Age		Qty	Feeding Method	
0-3 Months		4	BF Part In	
4-5 Months		5		
6-8 Months		4		
9-11 Months		4		
0-3 Months		5	BF Part Out	
4-5 Months		6		
6-8 Months		5		
9-11 Months		5		
0-3 Months		9	Fully Formula	
4-5 Months		10		
6-8 Months		7		
9-11 Months		7		
Children & Women		10		

Product Name: Complete Amino Acid Mix
Cat/Subcat: 41-328 (UPC: 7-49735-00124-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Balanced mixture of essential and non-essential amino acids. Provides 82 grams of protein equivalent per 100 grams.	For individuals with conditions in which a nutritionally complete feed is not suitable or a modular approach is required. For multiple food allergies, intractable malabsorption, chronic intestinal diseases, or short bowel syndrome. Must be medically supervised.	7 oz.	134 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	3	BF Part In		
4-5 Months	3			
6-8 Months	3			
9-11 Months	3			
0-3 Months	4	BF Part Out		
4-5 Months	4			
6-8 Months	4			
9-11 Months	4			
0-3 Months	6	Fully Formula		
4-5 Months	7			
6-8 Months	5			
9-11 Months	5			
Children & Women	6			

Product Name: Cyclinex-1 (Infant & Child)
Cat/Subcat: 31-041 (UPC: 0-70074-51145-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Amino acid modified infant formula with iron. Nonessential amino acid free to decrease the ingestion of waste nitrogen. ~43% of energy as fat. Additional vitamins and minerals to compensate for nutrient losses due to nitrogen-scavenger medications.	For infants and toddlers with urea cycle disorder, gyrate atrophy of the choroid and retina, or HHH syndrome. Must be medically supervised.	14.1 oz.	102 fl. oz. (infant) 68 fl. oz. (child)
Age	Qty	Feeding Method		
0-3 Months	4	BF Part In		
4-5 Months	5			
6-8 Months	3			
9-11 Months	3			
0-3 Months	5	BF Part Out		
4-5 Months	6			
6-8 Months	4			
9-11 Months	4			
0-3 Months	8	Fully Formula		
4-5 Months	9			
6-8 Months	6			
9-11 Months	6			
Children & Women	13			

Product Name: Cyclinex-2 (Child & Adult)

Cat/Subcat: 41-003 (UPC: 0-70074-51147-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Amino acid modified medical food. Nonessential amino acid free to decrease the ingestion of waste nitrogen. ~35% of energy as fat. Lactose free, gluten free. Additional vitamins and minerals to compensate for nutrient losses due to nitrogen-scavenger medications.	For children and adults with urea cycle disorder, gyrate atrophy or HHH syndrome. Must be medically supervised.	14.1 oz.	59 fl. oz.
Age	Qty			
Children & Women	15			

Product Name: Duocal

Cat/Subcat: 41-074 (UPC: 7-49735-00280-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	A high energy, medical food providing fat and carbohydrates for increased caloric intake. Not suitable as a sole source of nutrition.	For the dietary management of conditions where a high-energy, low-fluid, low-electrolyte diet is indicated. For protein restricted diets, disorders of protein and amino acid metabolism, malabsorptive states, modular diets, and catabolic states.	14 oz.	50 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	8	BF Part In		
4-5 Months	10			
6-8 Months	7			
9-11 Months	7			
0-3 Months	9	BF Part Out		
4-5 Months	11			
6-8 Months	8			
9-11 Months	8			
0-3 Months	17	Fully Formula		
4-5 Months	19			
6-8 Months	13			
9-11 Months	13			
Children & Women	18			

Product Name: Elecare (Infant)

Cat/Subcat: 31-042 (UPC: 0-70074-53511-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Nutritionally complete, amino acid-based medical food. Protein source comprised of 100% free amino acids. Contains DHA/ARA.	For infants who cannot tolerate intact or hydrolyzed protein. For those with severe allergies and various gastrointestinal conditions. Must be medically supervised.	14.1 oz.	95 fl. oz. (20 kcal/oz.)
Age	Qty	Feeding Method		
0-3 Months	4	BF Part In		
4-5 Months	5			
6-8 Months	4			
9-11 Months	4			
0-3 Months	5	BF Part Out		
4-5 Months	6			
6-8 Months	5			
9-11 Months	5			
0-3 Months	9	Fully Formula		
4-5 Months	10			
6-8 Months	7			
9-11 Months	7			
Children & Women	9			

Product Name: Elecare Jr. (Child)**Cat/Subcat: 31-073** (UPC Unflavored: 0-70074-55254-5 or 0-70074-68628-8)

(UPC Vanilla: 0-70074-56586-6 or 0-70074-68631-8)

(UPC Chocolate: 0-70074-66271-8)

(UPC Banana: 0-70074-66276-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Nutritionally complete, amino acid-based medical food. Meets or exceeds 100% of the DRIs for protein and 25 essential vitamins and minerals for children age 1-13.	For children who cannot tolerate milk, soy, or protein hydrolysate formulas. For those with severe allergies to intact protein, severe malabsorption, or GI tract impairment. Must be medically supervised.	14.1 oz.	64 fl. oz. (30 kcal/oz.)
Age	Qty	Feeding Method		
0-3 Months	6	BF Part In		
4-5 Months	8			
6-8 Months	6			
9-11 Months	6			
0-3 Months	7	BF Part Out		
4-5 Months	9			
6-8 Months	7			
9-11 Months	7			
0-3 Months	13	Fully Formula		
4-5 Months	15			
6-8 Months	11			
9-11 Months	11			
Children & Women	14			

Product Name: EnfaCare NeuroPro

Cat/Subcat: 31-011 (UPC: 3-00875-12208-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Milk based infant formula with increased protein, vitamin, and minerals, compared to standard infant formula. Contains 22 kcal/oz. Iron-fortified. Contains DHA/ARA. 20% of fat from MCT oil.	For premature and/or low birth weight infants who have reached a weight of 1.8 kg (4 lbs.)	13.6 oz.	87 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	5	BF Part In		
4-5 Months	6			
6-8 Months	4			
9-11 Months	4			
0-3 Months	6	BF Part Out		
4-5 Months	7			
6-8 Months	5			
9-11 Months	5			
0-3 Months	10	Fully Formula		
4-5 Months	11			
6-8 Months	8			
9-11 Months	8			
Children & Women	10			

Product Name: Enfagrow Premium Gentlelease Toddler

Cat/Subcat: 41-013 (UPC: 3-00875-12903-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Partially hydrolyzed milk based toddler formula. Iron fortified. Contains DHA/ARA.	For toddlers with fussiness or gas.	29.1 oz.	157 fl. oz.
Age	Qty			
Children & Women	5			

Product Name: Enfagrow Premium Toddler

Cat/Subcat: 21-019 (UPC 24 oz. Vanilla: 3-00878-69247-6)

(UPC 24 oz. Natural Milk Flavor: 3-00871-46741-5)

(UPC 32 oz. Vanilla: 3-00875-12542-7)*

(UPC 32 oz. Natural Milk Flavor: 3-00875-11413-1)*

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Milk based nutritional drink. Iron fortified. Contains DHA and a blend of prebiotics. 23 kcal/oz.	For toddlers over the age of 1 year.	24 oz.	130 fl. oz.
Age	Qty			
Children & Women	7			

*Removes 1.33 cans from benefits

Product Name: Enfamil AR

Cat/Subcat: 21-013 (UPC: 3-00870-20142-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Milk-based infant formula. 20:80 whey:casein ratio. Contains rice starch. Designed to thicken further in the stomach.	Designed to help reduce frequent spit up.	12.9 oz.	91 fl. oz.
Age		Qty	Feeding Method	
0-3 Months		4	BF Part In	
4-5 Months		5		
6-8 Months		4		
9-11 Months		4		
0-3 Months		5	BF Part Out	
4-5 Months		6		
6-8 Months		5		
9-11 Months		5		
0-3 Months		9	Fully Formula	
4-5 Months		10		
6-8 Months		7		
9-11 Months		7		
Children & Women		10		

Product Name: Enfamil Gentlease

Cat/Subcat: 21-018 (UPC: 3-00875-10069-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Partially hydrolyzed infant formula with reduced lactose. 60:40 whey:casein ratio.	Designed to reduce feeding difficulties such as fussiness and gas.	12.4 oz.	90 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	4	BF Part In		
4-5 Months	5			
6-8 Months	4			
9-11 Months	4			
0-3 Months	5	BF Part Out		
4-5 Months	6			
6-8 Months	5			
9-11 Months	5			
0-3 Months	9	Fully Formula		
4-5 Months	10			
6-8 Months	7			
9-11 Months	7			
Children & Women	10			

Product Name: Enfamil Infant

Cat/Subcat: 21-096 (UPC: 3-00871-36542-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Milk-based, iron fortified, routine formula for full-term infants.	For infants (0-12 months)	12.5 oz.	90 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	4	BF Part In		
4-5 Months	5			
6-8 Months	4			
9-11 Months	4			
0-3 Months	5	BF Part Out		
4-5 Months	6			
6-8 Months	5			
9-11 Months	5			
0-3 Months	9	Fully Formula		
4-5 Months	10			
6-8 Months	7			
9-11 Months	7			
Children & Women	10			

Product Name: Enfamil Reguline

Cat/Subcat: 21-101 (UPC: 3-00875-11132-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Partially hydrolyzed infant formula. 60:40 whey:casein ratio. Contains a blend of prebiotics.	Designed to promote soft stools.	12.4 oz.	90 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	4	BF Part In		
4-5 Months	5			
6-8 Months	4			
9-11 Months	4			
0-3 Months	5	BF Part Out		
4-5 Months	6			
6-8 Months	5			
9-11 Months	5			
0-3 Months	9	Fully Formula		
4-5 Months	10			
6-8 Months	7			
9-11 Months	7			
Children & Women	10			

Product Name: GA1 Anamix Early Years
Cat/Subcat: 31-060 (UPC: 7-49735-00217-9)*
(UPC: 7-49735-01622-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	A lysine-free, low tryptophan infant formula. Iron fortified. Contains DHA/ARA, and a unique blend of prebiotic fiber.	For the dietary management of infants with glutaric aciduria type 1 (GA-1). Must be medically supervised.	14.1 oz.	80 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	5	BF Part In		
4-5 Months	6			
6-8 Months	4			
9-11 Months	4			
0-3 Months	6	BF Part Out		
4-5 Months	7			
6-8 Months	5			
9-11 Months	5			
0-3 Months	10	Fully Formula		
4-5 Months	12			
6-8 Months	8			
9-11 Months	8			
Children & Women	11			

*UPC will be discontinued July 2026

Product Name: Gerber Extensive HA**Cat/Subcat: 31-091 (UPC: 0-50000-59852-6)**

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Gerber	Extensively hydrolyzed whey protein, hypoallergenic infant formula. Lactose free.	For the dietary management of infants with cow's milk protein allergy.	14.1 oz.	96 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	4	BF Part In		
4-5 Months	5			
6-8 Months	3			
9-11 Months	3			
0-3 Months	5	BF Part Out		
4-5 Months	6			
6-8 Months	4			
9-11 Months	4			
0-3 Months	8	Fully Formula		
4-5 Months	9			
6-8 Months	7			
9-11 Months	7			
Children & Women	9			

Product Name: GlutarAde Amino Acid Blend**Cat/Subcat: 41-311** (UPC: 7-00847-07500-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	A lysine-free, low tryptophan medical food. Contains a mixture of essential and non-essential amino acids. Does not contain vitamins and minerals.	For the dietary management of children and women with glutaric aciduria type 1 (GA-1). Must be medically supervised.	16.0 oz	82 fl. oz.
Age		Qty		
Children & Women		11		

Product Name: GlutarAde Essential GA-1 Drink Mix**Cat/Subcat: 41-292** (UPC: 7-00847-07542-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	A lysine-free, low tryptophan medical food. Contains a mixture of essential and non-essential amino acids. Complete with essential vitamins and minerals.	For the dietary management of children and women with glutaric aciduria type 1 (GA-1). Must be medically supervised.	16.0 oz	80 fl. oz.
Age		Qty		
Children & Women		11		

Product Name: GlutarAde Junior GA-1 Drink Mix

Cat/Subcat: 41-312 (UPC: 7-00847-07510-9)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	A lysine-free, low tryptophan medical food. Contains a balanced mix of essential and non-essential amino acids, carbohydrates, fat, vitamins, minerals and trace elements. Nutritionally incomplete.	For the dietary management of children and women with glutaric aciduria type 1 (GA-1). Must be medically supervised.	14.1 oz.	82 fl. oz.
Age	Qty			
Children & Women	11			

Product Name: Glutarex-1**Cat/Subcat: 31-026 (UPC: 0-70074-51141-2)**

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	A lysine-free, low tryptophan infant formula. Approximately 40% of energy as fat. Lactose free, gluten free. Nutritionally incomplete.	For the dietary management of infants and children with glutaric aciduria type 1 (GA-1). Must be medically supervised.	14.1 oz.	96 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	4	BF Part In		
4-5 Months	5			
6-8 Months	4			
9-11 Months	4			
0-3 Months	5	BF Part Out		
4-5 Months	6			
6-8 Months	5			
9-11 Months	5			
0-3 Months	9	Fully Formula		
4-5 Months	10			
6-8 Months	7			
9-11 Months	7			
Children & Women	--			

Product Name: Glutarex-2

Cat/Subcat: 41-020 (UPC: 0-70074-51143-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	A lysine-free, low tryptophan medical food. Approximately 30% of energy as fat. Lactose free, gluten-free. Nutritionally incomplete.	For the dietary management of children and women with glutaric aciduria type 1 (GA-1). Must be medically supervised.	14.1 oz.	82 fl. oz.
Age	Qty			
Children & Women	11			

Product Name: IVA Anamix Early Years
Cat/Subcat: 31-098 (UPC: 7-49735-00211-7)*
(UPC: 7-49735-01625-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Leucine-free infant formula. Contains a balanced mixture of all other essential and non-essential amino acids, carbohydrates, fat, vitamins, minerals, and trace elements. Nutritionally incomplete.	For the dietary management of infants with proven isovaleric acidemia (IVA) and other disorders of leucine metabolism. Must be medically supervised.	14.1 oz.	90 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	4	BF Part In		
4-5 Months	5			
6-8 Months	4			
9-11 Months	4			
0-3 Months	5	BF Part Out		
4-5 Months	6			
6-8 Months	5			
9-11 Months	5			
0-3 Months	9	Fully Formula		
4-5 Months	10			
6-8 Months	7			
9-11 Months	7			
Children & Women	10			

*UPC will be discontinued July 2026

Product Name: IVA Anamix Next

Cat/Subcat: 41-339 (UPC: 7-49735-09471-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Leucine-free drink mix containing other essential and non-essential amino acids.	For the dietary management of children and women with proven isovaleric acidemia (IVA) and other disorders of leucine metabolism. Must be medically supervised.	14 oz.	51 fl. oz.
Age	Qty			
Children & Women	17			

Product Name: KetoCal 3:1

Cat/Subcat: 41-274 (UPC: 7-49735-06672-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Medical food with a 3:1 (fat: carbohydrate + protein) ratio enabling an individual to achieve and maintain a high level of ketosis. Contains DHA & ARA.	For the dietary management of children over 1 year with intractable epilepsy, pyruvate dehydrogenase deficiency (PDH), glucose transporter type-1 deficiency (GLUT-1), and other medical conditions where a ketogenic diet is indicated.	11 oz.	70 fl. oz. (30 kcal/oz.)
Age	Qty	Feeding Method		
0-3 Months	6	BF Part In		
4-5 Months	7			
6-8 Months	5			
9-11 Months	5			
0-3 Months	7	BF Part Out		
4-5 Months	8			
6-8 Months	6			
9-11 Months	6			
0-3 Months	12	Fully Formula		
4-5 Months	13			
6-8 Months	9			
9-11 Months	9			
Children & Women	13			

Product Name: KetoCal 4:1

Cat/Subcat: 41-275 (UPC: 7-49735-01842-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Medical food with a 4:1 (fat: carbohydrate + protein) ratio enabling an individual to achieve and maintain a high level of ketosis.	For the dietary management of children over 1 year with intractable epilepsy, pyruvate dehydrogenase deficiency (PDH), glucose transporter type-1 deficiency (GLUT-1), and other medical conditions where a ketogenic diet is indicated.	11 oz.	70 fl. oz. (30 kcal/oz.)
Age	Qty	Feeding Method		
0-3 Months	6	BF Part In		
4-5 Months	7			
6-8 Months	5			
9-11 Months	5			
0-3 Months	7	BF Part Out		
4-5 Months	8			
6-8 Months	6			
9-11 Months	6			
0-3 Months	12	Fully Formula		
4-5 Months	13			
6-8 Months	9			
9-11 Months	9			
Children & Women	13			

Product Name: MCT Procal**Cat/Subcat: 41-293** (UPC 30 x 16 g case: 8-12539-02158-2)

(UPC 30 x 16 g case: 0-50600-05023-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Food fortifier and medium-chain triglyceride (MCT) supplement.	For use in the dietary management of fat malabsorption and other disorders requiring a high MCT, low long-chain triglyceride (LCT) supplement. Must be medically supervised.	1 case contains 30 packets that are 16 grams each	101.4 fl. oz.
Age	Qty			
Children & Women	8			

Product Name: Neocate with DHA/ARA**Cat/Subcat: 31-054 (UPC: 7-49735-02595-6)**

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Hypoallergenic, nutritionally complete infant formula. 100% free amino-acid based. Iron fortified. Contains DHA/ARA. Dairy free, soy oil free.	For the dietary management of infants with cow milk allergy, multiple food allergies, and related conditions including food protein-induced enterocolitis syndrome (FPIES), eosinophilic esophagitis (EoE), short bowel syndrome and malabsorption	14.1 oz.	97 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	4	BF Part In		
4-5 Months	5			
6-8 Months	3			
9-11 Months	3			
0-3 Months	5	BF Part Out		
4-5 Months	6			
6-8 Months	4			
9-11 Months	4			
0-3 Months	8	Fully Formula		
4-5 Months	9			
6-8 Months	7			
9-11 Months	7			
Children & Women	9			

Product Name: Neocate Junior with Prebiotics**Cat/Subcat: 41-288** (UPC Vanilla: 7-49735-00627-6)

(UPC Strawberry: 7-49735-06456-6)

(UPC Unflavored: 7-49735-02912-1)*

(UPC Chocolate 7-49735-02690-8)

(UPC Tropical: 7-49735-02124-8)**

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Hypoallergenic, elemental medical food containing 100% free amino acids. Contains prebiotic fibers. 30 kcal/oz. High protein equivalent for GI tissue repair. Extra vitamins and minerals for malabsorptive conditions. Carbohydrate content formulated to minimize osmotic load.	For the dietary management of children with cow milk allergy, multiple food allergies, and related GI and allergic conditions, including eosinophilic esophagitis (EoE), food protein-induced enterocolitis syndrome (FPIES), short bowel syndrome, and malabsorption.	14.1 oz.	63 fl. oz. (unflavored, vanilla, strawberry) 61 fl. oz. (chocolate) 60 fl. oz. (tropical)
Age	Qty			
Children & Women	14			

*Unflavored Neocate Jr with Prebiotics will be discontinued in September 2024 or until supplies last. Product to be replaced with Neocate Syneo Jr. (41-385)

**Tropical Neocate Jr with Prebiotics will be discontinued in September 2024 or until supplies last. Participants will need to transition to a different flavor.

Product Name: Neocate Junior

Cat/Subcat: 41-063 (UPC Unflavored: 7-49735-01790-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Hypoallergenic, elemental medical food containing 100% free amino acids. 30 kcal/oz. High protein equivalent for GI tissue repair. Extra vitamins and minerals for malabsorptive conditions. Carbohydrate content formulated to minimize osmotic load.	For the dietary management of children with cow milk allergy, multiple food allergies, and related GI and allergic conditions, including eosinophilic esophagitis (EoE), food protein-induced enterocolitis syndrome (FPIES), short bowel syndrome, and malabsorption.	14.1 oz.	64 fl. oz.
Age	Qty			
Children & Women	14			

Product Name: Neocate Syneo

Cat/Subcat: 31-102 (UPC: 7-49735-01436-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Hypoallergenic medical food with 100% free amino acids. Contains a blend of pre- and probiotics.	For the dietary management of infants with cow milk allergy, multiple food allergies and related GI and allergic conditions, including food protein-induced enterocolitis syndrome (FPIES) and eosinophilic esophagitis (EoE).	14.1 oz.	95 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	4	BF Part In		
4-5 Months	5			
6-8 Months	4			
9-11 Months	4			
0-3 Months	5	BF Part Out		
4-5 Months	6			
6-8 Months	5			
9-11 Months	5			
0-3 Months	9	Fully Formula		
4-5 Months	10			
6-8 Months	7			
9-11 Months	7			
Children & Women	9			

Product Name: Neocate Syneo Junior

Cat/Subcat: 41-385 (UPC: 7-49735-00099-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Hypoallergenic formula containing a blend of prebiotic and probiotic fibers.	For the dietary management of children with cow milk allergy, multiple food allergies, and related GI and allergic conditions, including eosinophilic esophagitis (EoE), food protein-induced enterocolitis syndrome (FPIES). NOT indicated for malabsorption	14.1 oz.	62 fl. oz.
Age	Qty			
Children & Women	14			

Product Name: Nutramigen

Cat/Subcat: 31-001 (UPC: 3-00871-23941-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Hypoallergenic, casein hydrolysate infant formula. Iron fortified. Lactose-free, sucrose-free. Contains DHA/ARA. Contains the probiotic LGG to support digestive health.	For infants who are allergic to intact proteins in cow's milk and soy formulas.	12.6 oz.	87 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	5	BF Part In		
4-5 Months	6			
6-8 Months	4			
9-11 Months	4			
0-3 Months	6	BF Part Out		
4-5 Months	7			
6-8 Months	5			
9-11 Months	5			
0-3 Months	10	Fully Formula		
4-5 Months	11			
6-8 Months	8			
9-11 Months	8			
Children & Women	10			

Product Name: Nutramigen with Probiotic LGG Toddler**Cat/Subcat: 31-086** (UPC: 3-00875-10734-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Hypoallergenic toddler formula. Contains the probiotic LGG to support digestive health.	For older infants and toddlers (9 to 36 months) with a cow's milk allergy.	12.6 oz.	86 fl. oz.
Age		Qty		
Children & Women		10		

Product Name: MSUD Anamix Early Years**Cat/Subcat: 31-096** (UPC: 7-49735-00168-4)*

(UPC: 7-49735-01627-5)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	A valine, leucine, and isoleucine free powdered infant formula with iron. Contains a blend of essential and non-essential amino acids, carbohydrates (including prebiotics), fat (including DHA and ARA), vitamins, minerals and trace elements.	For the dietary management of infants and children with Maple Syrup Urine Disease.	14.1 oz.	89.6 fl. oz.
Age		Qty		
Children & Women		10		

*UPC will be discontinued July 2026

Product Name: Pepticate**Cat/Subcat: 31-120** (UPC: 7-49735-00101-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Hypoallergenic, extensively hydrolyzed infant formula.	For the dietary management of infant with cow milk allergy.	13.2 oz.	86 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	5	BF Part In		
4-5 Months	6			
6-8 Months	4			
9-11 Months	4			
0-3 Months	6	BF Part Out		
4-5 Months	7			
6-8 Months	5			
9-11 Months	5			
0-3 Months	10	Fully Formula		
4-5 Months	11			
6-8 Months	8			
9-11 Months	8			
Children & Women	10			

Product Name: PKU Periflex Early Years
Cat/Subcat: 31-095 (UPC: 7-49735-00164-6)*
(UPC: 7-49735-016183-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Phenylalanine-free formula. Contains DHA/ARA.	For the dietary management of PKU.	14.1 oz.	90 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	4	BF Part In		
4-5 Months	5			
6-8 Months	4			
9-11 Months	4			
0-3 Months	5	BF Part Out		
4-5 Months	6			
6-8 Months	5			
9-11 Months	5			
0-3 Months	9	Fully Formula		
4-5 Months	10			
6-8 Months	7			
9-11 Months	7			
Children & Women	10			

*UPC will be discontinued July 2026

Product Name: Periflex Junior Plus**Cat/Subcat: 41-326** (UPC Unflavored: 7-49735-01402-8)

(UPC Orange: 7-49735-01401-1)

(UPC Berry: 7-49735-09474-7)

(UPC Vanilla: 7-49735-09478-5)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Phenylalanine-free formula. Contains DHA.	For the dietary management of children with PKU	14.1 oz	51 fl. oz.
Age		Qty		
Children & Women		17		

Product Name: Phenex-2**Cat/Subcat: 41-041** (UPC Unflavored: 0-70074-51123-8 or 0-70074-67055-3)

(UPC Vanilla: 0-70074-67057-7)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Phenylalanine-free formula. Approximately 30% of energy as fat. Lactose free, gluten free.	For children and adults with PKU or hyperphenylalaninemia.	14.1 oz.	55 fl. oz.
Age		Qty		
Children & Women		16		

Product Name: Phenylade Drink Mix**Cat/Subcat: 41-109** (UPC Chocolate: 7-00847-09511-4)

(UPC Vanilla: 7-00847-09522-0)

(UPC Orange Crème: 7-00847-09533-6)

(UPC Strawberry: 7-00847-09544-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Phenylalanine-free, metabolic formula. Nutritionally incomplete. Suitable for oral or tube feedings.	For the dietary management of children and women with PKU.	16 oz.	90 fl. oz.
Age	Qty			
Children & Women	10			

Product Name: Phenylade Essential Drink Mix**Cat/Subcat: 41-237** (UPC Chocolate: 7-00847-09501-5)

(UPC Vanilla 7-00847-09502-2)

(UPC Orange Crème: 7-00847-09503-9)

(UPC Unflavored: 7-00847-09508-4)

(UPC Strawberry: 7-00847-09504-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Phenylalanine-free, metabolic formula. Contains a 4:1 ratio of omega-6 to omega-3 fatty acids. Nutritionally incomplete. Suitable for oral or tube feedings. Contains a 4:1 ratio of omega-6 to omega-3 fatty acids.	For the dietary management of children and women with PKU.	16 oz.	90 fl. oz.
Age	Qty			
Children & Women	10			

Product Name: Phenylade MTE Amino Acid Blend

Cat/Subcat: 41-110 (UPC: 7-00847-09596-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Phenylalanine-free, metabolic formula. Contains added calcium, phosphorus, magnesium, chromium, molybdenum and selenium. Suitable for oral or tube feedings.	For the dietary management of children and women with PKU.	16 oz.	75 fl. oz.
Age	Qty			
Children & Women	12			

Product Name: Pregestimil

Cat/Subcat: 31-009 (UPC: 3-00870-36701-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Hypoallergenic formula made from extensively hydrolyzed casein. 55% of fat from medium-chain triglycerides (MCT) oil. Contains DHA/ARA.	For infants who experience fat malabsorption and who may be sensitive to intact proteins.	16 oz.	112 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	3	BF Part In		
4-5 Months	4			
6-8 Months	3			
9-11 Months	3			
0-3 Months	4	BF Part Out		
4-5 Months	5			
6-8 Months	4			
9-11 Months	4			
0-3 Months	7	Fully Formula		
4-5 Months	8			
6-8 Months	6			
9-11 Months	6			
Children & Women	8			

Product Name: Pro-Phree

Cat/Subcat: 31-046 (UPC: 0-70074-51149-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Protein-free powder to permit protein restriction or the addition of extra energy, minerals and vitamins. Approximately 49% of energy as fat; lactose and gluten free.	For infants and toddlers who require extra calories, minerals, and vitamins and/or protein restriction. Must be medically supervised.	14.1 oz.	102 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	4	BF Part In		
4-5 Months	5			
6-8 Months	3			
9-11 Months	3			
0-3 Months	5	BF Part Out		
4-5 Months	6			
6-8 Months	4			
9-11 Months	4			
0-3 Months	8	Fully Formula		
4-5 Months	9			
6-8 Months	6			
9-11 Months	6			
Children & Women	8			

Product Name: PurAmino DHA & ARA**Cat/Subcat: 31-069 (UPC: 3-00875-10480-4)**

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Hypoallergenic, amino acid-based infant formula. Iron fortified. Contains DHA/ARA.	For infants and toddlers with severe cow's milk protein allergy, not effectively managed by an extensively hydrolyzed formula. Also indicated for infants and children with multiple food protein allergies.	14.1 oz.	98 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	4	BF Part In		
4-5 Months	5			
6-8 Months	3			
9-11 Months	3			
0-3 Months	5	BF Part Out		
4-5 Months	6			
6-8 Months	4			
9-11 Months	4			
0-3 Months	8	Fully Formula		
4-5 Months	9			
6-8 Months	7			
9-11 Months	7			
Children & Women	9			

Product Name: PurAmino Jr.

Cat/Subcat: 41-346 (UPC Unflavored: 3-00875-12246-4)

(UPC Vanilla: 3-00875-12244-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Mead Johnson	Amino Acid based medical food with DHA for children with severe cow's milk protein or multiple food protein allergies	For infants and toddlers with severe cow's milk protein allergy, not effectively managed by an extensively hydrolyzed formula. Also indicated for infants and children with multiple food protein allergies.	14.1 oz.	66 fl. oz.	
Age		Qty			
Children & Women		13			

Product Name: Renastart

Cat/Subcat: 41-263 (UPC: 8-12539-02149-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Vitaflow	High energy formula. Low in protein, calcium, chloride, potassium, phosphorus, and Vitamin A.	For the dietary management of children with kidney disease. Must be medically supervised.	14.1 oz	57 fl. oz	
Age		Qty			
Children & Women		15			

Product Name: Scandishake

Cat/Subcat: 41-112 (UPC 4 x 3 oz. case Vanilla: 0-58914-80044-6)

(UPC 4 x 3 oz. case Strawberry: 0-58914-80244-0)

(UPC 4 x 3 oz. case Chocolate: 0-58914-80144-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	High calorie, high-fat, high-carbohydrate powder. Does not contain supplemental vitamins and minerals. Lactose and gluten free. Not nutritionally complete.	For the dietary management of disease-related malnutrition, malabsorption, or other conditions requiring fortification with a fat/carbohydrate supplement.	1 pack contains 4 envelopes that are 3 oz. each	8 fl. oz. per envelope 32 fl. oz per pack
Age	Qty			
Children & Women	28			

Product Name: Similac Expert Care Alimentum

Cat/Subcat: 31-081 (UPC: 0-70074-64712-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Hypoallergenic, casein hydrolysate infant formula. Iron fortified. Lactose free. 33% of fat from MCT oil. Contains corn derivatives. Contains DHA/ARA.	For infants with severe food allergies, sensitivity to intact protein, or fat malabsorption.	12.1 oz.	87 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	5	BF Part In		
4-5 Months	6			
6-8 Months	4			
9-11 Months	4			
0-3 Months	6	BF Part Out		
4-5 Months	7			
6-8 Months	5			
9-11 Months	5			
0-3 Months	10	Fully Formula		
4-5 Months	11			
6-8 Months	8			
9-11 Months	8			
Children & Women	10			

Product Name: Similac Expert Care NeoSure

Cat/Subcat: 31-030 (UPC: 0-700074-57431-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Contains more protein, vitamins, and minerals than formula designed for full term infants. Iron-fortified. Contains DHA/ARA.	For premature and/or low birth weight infants.	13.1 oz.	87 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	5	BF Part In		
4-5 Months	6			
6-8 Months	4			
9-11 Months	4			
0-3 Months	6	BF Part Out		
4-5 Months	7			
6-8 Months	5			
9-11 Months	5			
0-3 Months	10	Fully Formula		
4-5 Months	11			
6-8 Months	8			
9-11 Months	8			
Children & Women	10			

Product Name: Similac PM 60/40

Cat/Subcat: 31-036 (UPC: 0-70074-60850-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Low iron formula. 60:40 whey to casein ratio. Calcium to phosphorus ratio and content designed to manage serum calcium disorders.	For infants who would benefit from lowered mineral intake, including those with impaired renal function. Must be medically supervised.	14.1 oz.	102 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	4	BF Part In		
4-5 Months	5			
6-8 Months	3			
9-11 Months	3			
0-3 Months	5	BF Part Out		
4-5 Months	6			
6-8 Months	4			
9-11 Months	4			
0-3 Months	8	Fully Formula		
4-5 Months	9			
6-8 Months	6			
9-11 Months	6			
Children & Women	8			

Product Name: Similac Soy Isomil

Cat/Subcat: 21-031 (UPC: 0-700745-5964-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Nutritionally complete, soy-based infant formula. Iron fortified. Milk free, lactose free. Contains DHA.	For infants with sensitivity to milk-based formula.	12.4 oz.	90 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	4	BF Part In		
4-5 Months	5			
6-8 Months	4			
9-11 Months	4			
0-3 Months	5	BF Part Out		
4-5 Months	6			
6-8 Months	5			
9-11 Months	5			
0-3 Months	9	Fully Formula		
4-5 Months	10			
6-8 Months	7			
9-11 Months	7			
Children & Women	10			

Product Name: Tolerex

Cat/Subcat: 41-215 (UPC 6 x 2.82 oz. box: 0-43900-45805-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Elemental formula. 100% free amino acids. Only 2% of calories from fat.	For individuals with severely impaired GI function (including severe protein and fat malabsorption).	1 box contains 6 packets that are 2.82 oz. each	300 mL/pkt 1,800 mL/box
Age	Qty	Feeding Method		
0-3 Months	6	BF Part In		
4-5 Months	8			
6-8 Months	6			
9-11 Months	6			
0-3 Months	7	BF Part Out		
4-5 Months	9			
6-8 Months	7			
9-11 Months	7			
0-3 Months	13	Fully Formula		
4-5 Months	15			
6-8 Months	11			
9-11 Months	11			
Children & Women	14			

Product Name: TYR Anamix Early Years

Cat/Subcat: 31-101 (UPC: 7-49735-00218-6)*
 (UPC: 7-49735-01619-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Phenylalanine and tyrosine free infant formula. Contains a balanced mixture of all essential and non-essential amino acids, carbohydrate, fat, vitamins, minerals, and trace elements.	For the dietary management of Tyrosinemia when plasma methionine level is normal.	14.1 oz.	90 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	4	BF Part In		
4-5 Months	5			
6-8 Months	4			
9-11 Months	4			
0-3 Months	5	BF Part Out		
4-5 Months	6			
6-8 Months	5			
9-11 Months	5			
0-3 Months	9	Fully Formula		
4-5 Months	10			
6-8 Months	7			
9-11 Months	7			
Children & Women	10			

*UPC will be discontinued July 2026

Product Name: TYR Anamix Next

Cat/Subcat: 41-325 (UPC: 7-49735-09479-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Phenylalanine and tyrosine free medical foods. Contains a balanced mixture of all essential and non-essential amino acids, carbohydrate, fat, vitamins, minerals, and trace elements.	For the dietary management of Tyrosinemia in children over the age of one year.	14.1 oz.	51 fl. oz.
Age	Qty			
Children & Women	17			

Product Name: Tyrex-1

Cat/Subcat: 31-051 (UPC: 0-70074-51129-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Phenylalanine and tyrosine free formula. ~40% of energy from fat and 6.6% of energy as linoleic acid. Contains DHA/ARA. Lactose free, gluten free.	For infants and toddlers with tyrosinemia type I, II or III. Use under medical supervision. Not intended as a sole source of nutrition.	12.4 oz.	96 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	4	BF Part In		
4-5 Months	5			
6-8 Months	4			
9-11 Months	4			
1-3 Months	5	BF Part Out		
4-5 Months	6			
6-8 Months	5			
9-11 Months	5			
0-3 Months	9	Fully Formula		
4-5 Months	10			
6-8 Months	7			
9-11 Months	7			
Children & Women	9			

Product Name: Tyrex-2

Cat/Subcat: 41-052 (UPC: 0-70074-51127-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Abbott	Phenylalanine and tyrosine free medical food. ~30% of energy from fat. Contains DHA. Lactose free, gluten free.	For children and adults with tyrosinemia type I, II or III. Use under medical supervision. Not intended as a sole source of nutrition.	14.1 oz.	55 fl. oz.	
Age		Qty			
Children & Women		16			

Product Name: UCD Anamix Junior

Cat/Subcat: 41-315 (UPC Unflavored: 7-49735-09292-7)

(UPC Vanilla: 7-49735-09293-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Nutricia	Medical food containing essential amino acids (with increased levels of branched chain amino acids and tryptophan).	For the dietary management of Urea Cycle Disorders (UCD): hyperammonemia, hyperornithinemia, homocitrullinemia syndrome, and gyrate atrophy	14 oz.	48 fl. oz.	
Age		Qty			
Children & Women		18			

Product Name: Vivonex Pediatric**Cat/Subcat: 41-217** (UPC 6 x 1.7 oz. box: 0-43900-71319-9)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Nutritionally complete elemental formula. Low residue. 70% of fat from MCT. Lactose free, gluten free.	For individuals with severely impaired GI function: severe short bowel syndrome, malabsorption syndrome, GI trauma/surgery, Crohns disease, intestinal failure, transition from TPN.	1 box contains 6 packets that are 1.7 oz. each	220 mL/pkt 1,320 mL/box
Age		Qty		
Children & Women		17		

Product Name: Vivonex T.E.N.**Cat/Subcat: 41-220** (UPC 10 x 2.84 oz. box: 0-43900-71277-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	100% free amino acid formula. 3% of calories from fat. Nutritionally complete. Can be used for tube feeding or oral supplementation.	For individuals with severely impaired GI function: severe protein and fat malabsorption, extensive bowel resection, malabsorption syndrome, intestinal failure, trauma, pancreatitis, Chylothorax.	1 box contains 10 packets that are 2.84 oz. each	300 mL/pkt 3,000 mL/box
Age		Qty		
Children & Women		9		

Product Name: Xphe XTyr Analog**Cat/subcat: 31-064 (UPC: 7-49735-01885-9)**

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Phenylalanine and tyrosine free formula.	For the dietary management of tyrosinemia when plasma methionine level is normal	14 oz.	80 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	5	BF Part In		
4-5 Months	6			
6-8 Months	4			
9-11 Months	4			
0-3 Months	6	BF Part Out		
4-5 Months	7			
6-8 Months	5			
9-11 Months	5			
0-3 Months	10	Fully Formula		
4-5 Months	12			
6-8 Months	8			
9-11 Months	8			
Children & Women	11			

Ready to Use Formulas

Product Name: BeneCalorie

Cat/Subcat: 41-204 (UPC: 0-43900-28250-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Unflavored supplement designed to increase the calories and protein in most foods and beverages. Contains 330 kcal and 7 g protein/1.5 oz.	For individuals with elevated calorie and protein requirements.	1.5 oz container	1.5 fl. oz.
Age	Qty			
Children & Women	606			

Product Name: Boost

Cat/Subcat: 41-173 (UPC Chocolate: 0-41679-93266-7)

(UPC Strawberry: 0-41679-67666-0)

(UPC Vanilla: 0-41679-67466-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Complete nutritional drink. Contains 240 kcal and 10 g protein/serving. Protein from milk protein concentrate and soy protein isolate.	For the dietary management of malnutrition, inadequate oral intake, and reduced appetite. Not for individuals with galactosemia.	6-pack 8 oz.	48 fl. oz.
Age	Qty			
Children & Women	18			

Product Name: Boost Breeze

Cat/Subcat: 41-264 (UPC Orange single: 0-43900-18629-0)

(UPC Peach single: 0-43900-18649-8)

(UPC Wild Berry single: 0-43900-18666-5)

(UPC Orange 24 pack: 0-43900-12801-6)*

(UPC Peach 24 pack: 0-43900-23896-8)*

(UPC Wild Berry 24 pack: 0-43900-68560-1)*

(UPC Variety Pack 27 pack: 100-43900-67438-1)**

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Clear liquid nutrition. Contains 250 kcals and 9 grams protein/serving. Lactose free, gluten free.	For the dietary management of fat malabsorption or malnutrition. For those on a clear-liquid diet.	8 oz.	8 fl. oz.
Age	Qty			
Children & Women	113			

*Removes 24 bottles from benefits

**Removes 27 bottles from benefits

Product Name: Boost High Protein

Cat/Subcat: 41-225 (UPC Creamy Strawberry: 0-41679-94466-0)

(UPC Rich Chocolate: 0-41679-94066-2)

(UPC Very Vanilla: 0-41679-94166-9)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Complete nutritional drink. Contains 250 kcal and 20 g protein/serving. Protein from milk protein concentrate, soy protein isolate, calcium caseinate, and sodium caseinate.	For individuals with increased protein requirements, protein-calorie malnutrition, and reduced appetite. Not for individuals with galactosemia.	6-pack 8 oz.	48 oz.
Age	Qty			
Children & Women	18			

Product Name: Boost Kid Essentials

Cat/Subcat: 41-229 (UPC Vanilla: 0-43900-33511-7)
 (UPC Chocolate Craze: 0-43900-33520-9)
 (UPC Strawberry: 0-43900-33530-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Nestle	Complete nutritional drink. Contains 240 kcal and 7 g protein/serving. Protein from milk protein concentrate.	For children with failure to thrive, injury or trauma, chronic illness, pre/post-surgery.	8 oz.	8 fl. oz.	
Age		Qty			
Children & Women		113			

Product Name: Boost Kid Essentials 1.5

Cat/Subcat: 41-277 (UPC Vanilla: 0-43900-33540-7)
 (UPC Chocolate: 0-43900-33588-9)
 (UPC Strawberry: 0-43900-33590-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Nestle	Complete nutritional drink. Contains 360 kcal and 10 g protein/serving. Protein from milk protein concentrate.	For children with failure to thrive, Crohns disease, cardiac conditions, cancer, cystic fibrosis, cerebral palsy, fluid-restricted patients.	8 oz.	8 fl. oz.	
Age		Qty			
Children & Women		113			

Product Name: Boost Kid Essentials 1.5 with Fiber

Cat/Subcat: 41-287 (UPC 8 oz. can Vanilla: 0-43900-33500-1)
 (UPC 27 x 8 oz. case: 0-43900-33200-0)*

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Complete nutritional drink. Contains 360 kcal, 10 g protein, and 2 g fiber/serving. Protein from milk protein concentrate.	For children with failure to thrive, Crohns disease, cardiac conditions, cancer, cystic fibrosis, cerebral palsy, fluid-restricted patients.	8 oz.	8 fl. oz.
Age		Qty		
Children & Women		113		

*Removes 27 bottles from benefits

Product Name: Carnation Breakfast Essentials

Cat/Subcat: 41-313 (UPC Chocolate: 0-50000-41517-5)
 (UPC Strawberry: 0-50000-41579-3)
 (UPC Vanilla: 0-50000-41569-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Milk based nutritional drink. Contains 240 kcal and 10 g protein/serving.	For individuals with a medical condition or disease resulting in decreased food intake or increased nutrient requirements.	6-pack 8 oz.	48 fl. oz.
Age		Qty		
Children & Women		18		

Product Name: Compleat Pediatric Original

Cat/Subcat: 41-181 (UPC: 0-43900-14240-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Nestle	Blenderized tube feeding formulated from traditional foods.	For children (1-13 years) requiring chronic or long term, total or supplemental tube feeding. Children with special health needs, failure to thrive, HIV/AIDS, developmental disabilities, and chronic illnesses.	8.45 oz.	8.45 fl. oz.	
Age		Qty			
Children & Women		107			

Product Name: Compleat Pediatric Original 1.5

Cat/Subcat: 41-504 (UPC: Fruit Medly 0-43900-63763-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Nestle	Blenderized tube feeding formulated from traditional foods. Nutritionally complete. Provides 1.5 cup equivalents of F/V in 1000 ml. Non-GMO. Vegan. Kosher. Dairy and gluten free.	For the nutritional management of children on long- or short-term tube feeding regimens who prefer or require a plant-based formulas.	8.45 oz.	8.45 fl. oz.	
Age		Qty			
Children & Women		107			

Product Name: Compleat Pediatric Organic Blends**Cat/Subcat: 41-355** (UPC: Chicken Garden Blend 0-43900-46908-9)

(UPC: Plant Based 0-43900-75442-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Nestle	Blenderized tube feeding formulated from traditional foods. Nutritionally complete. Can be consumed enterally via tube feed or orally. Provides 4 cup equivalents of F/V in 1000 ml. Organic, non-GMO. Dairy, soy, and corn free.	For the nutritional management of children with intolerances to standard formula related to developmental delays or tube feeding regimens.	10.1 oz.	10.1 fl. oz.	
Age		Qty			
Children & Women		90			

Product Name: Compleat Pediatric Peptide
Cat/Subcat: 41-503 (UPC: 0-43900-37040-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Blenderized tube feeding formulated from traditional foods. Nutritionally complete. 40% of fat as MCT.	For children on short- or long- term tube feeding regimens.	8.45 oz.	8.45 fl. oz.
Age		Qty		
Children & Women		107		

Product Name: Compleat Pediatric Peptide 1.5
Cat/Subcat: 41-502 (UPC: 0-43900-76469-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Real food and peptide-based tube feeding formula . Provides approximately 1.5 cup equivalents of fruits and vegetables per 1000 mL	For children on short- or long- term tube feeding regimens.	8.45 oz.	8.45 fl. oz.
Age		Qty		
Children & Women		107		

Product Name: Compleat Pediatric Reduced Calorie

Cat/Subcat: 41-290 (UPC: 0-43900-38074-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Blenderized tube feeding formulated from traditional foods that provides 40% fewer calories than standard 1.0 kcal/ml formulas.	For the nutritional management of children (1-13 years) with disproportionate weight gain associated with developmental disabilities, reduced caloric needs, and bowel management.	8.45 oz.	8.45 fl. oz.
Age		Qty		
Children & Women		107		

Product Name: Compleat Pediatric Standard 1.0

Cat/Subcat: 41-501 (UPC: 0-43900-17509-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Complete, plant-based nutrition. Contains soluble and insoluble fiber. Vegan. GMO free.	For oral or tube feeding.	8.45 oz.	8.45 fl. oz.
Age		Qty		
Children & Women		107		

Product Name: Compleat Pediatric Standard 1.4

Cat/Subcat: 41-505 (UPC: 0-43900-80617-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Complete, plant-based nutrition. Contains soluble and insoluble fiber. Vegan. GMO free.	For oral or tube feeding. Calorically dense for increased energy needs and/or restricted fluid diets	8.45 oz.	8.45 fl. oz.
Age	Qty			
Children & Women	107			

Product Name: Enfacare NeuroPro

Cat/Subcat: 31-067 (UPC: 3-00875-12203-7)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Iron-fortified, high protein infant formula. Contains 22 kcal/oz. 20% of fat from MCT oil. Contains DHA/ARA.	For premature and/or low birth weight infants.	6 x 2 oz. pack	12 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	36	BF Part In		
4-5 Months	43			
6-8 Months	32			
9-11 Months	32			
0-3 Months	37	BF Part Out		
4-5 Months	44			
6-8 Months	33			
9-11 Months	33			
0-3 Months	72	Fully Formula		
4-5 Months	80			
6-8 Months	58			
9-11 Months	58			
Children & Women	75			

Product Name: Enfagrow NeuroPro Toddler

Cat/Subcat: 31-112 (UPC Natural Milk 32 oz: 3-00875-12203-7)

(UPC Natural Milk 6 pack: 3-00875-11751-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Milk based toddler formula. Iron fortified. Contains DHA/ARA. Contains soy.	For toddlers over 1 year of age.	32 oz.	32 oz.
Age		Qty	Feeding Method	
0-3 Months		13	BF Part In	
4-5 Months		16		
6-8 Months		12		
9-11 Months		12		
0-3 Months		14	BF Part Out	
4-5 Months		17		
6-8 Months		13		
9-11 Months		13		
0-3 Months		26	Fully Formula	
4-5 Months		28		
6-8 Months		20		
9-11 Months		20		
Children & Women		28		

Product Name: Enfamil 24 Cal

Cat/Subcat: 31-115 (UPC: 3-00875-12058-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Milk-based, iron fortified, formula. Contains 17 mg DHA/100 cal. 80:20 whey to casein ratio.	For full term infants requiring increased caloric density	12 oz.	12 floz.
Age	Qty	Feeding Method		
0-3 Months	8	BF Part In		
4-5 Months	32			
6-8 Months	42			
9-11 Months	42			
0-3 Months	9	BF Part Out		
4-5 Months	33			
6-8 Months	43			
9-11 Months	43			
0-3 Months	69	Fully Formula		
4-5 Months	76			
6-8 Months	53			
9-11 Months	53			
Children & Women	75			

Product Name: Enfamil NeuroPro Infant

Cat/Subcat: 21-129 (UPC 32 oz: 3-00875-12141-2)
(UPC 6 pack: 3-00875-10242-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Milk-based, iron fortified, routine formula for full-term infants. Contains added prebiotics.	For infants (0-12 months)	32 oz.	32 oz.
Age	Qty	Feeding Method		
0-3 Months	13	BF Part In		
4-5 Months	16			
6-8 Months	12			
9-11 Months	12			
0-3 Months	14	BF Part Out		
4-5 Months	17			
6-8 Months	13			
9-11 Months	13			
0-3 Months	26	Fully Formula		
4-5 Months	28			
6-8 Months	20			
9-11 Months	20			
Children & Women	28			

Product Name: Enfamil NeuroPro Gentlease

Cat/Subcat: 21-130 (UPC 32 oz: 3-00875-11562-6)
(UPC 6 pack: 3-00875-10341-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Partially hydrolyzed infant formula with reduced lactose. 60:40 whey:casein ratio. Contains added prebiotics.	Designed to reduce feeding difficulties such as fussiness and gas.	32 oz.	32 oz.
Age	Qty	Feeding Method		
0-3 Months	13	BF Part In		
4-5 Months	16			
6-8 Months	12			
9-11 Months	12			
0-3 Months	14	BF Part Out		
4-5 Months	17			
6-8 Months	13			
9-11 Months	13			
0-3 Months	26	Fully Formula		
4-5 Months	28			
6-8 Months	20			
9-11 Months	20			
Children & Women	28			

Product Name: Enfaport DHA/ARA

Cat/Subcat: 31-075 (UPC: 3-00875-10525-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	High protein formula. 84% of fat from MCT oil. Includes all essential fatty acids. Contains DHA/ARA.	For the dietary management of infants with Chylothorax or LCHAD deficiency.	6 x 6 oz. pack	36 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	10	BF Part In		
4-5 Months	13			
6-8 Months	9			
9-11 Months	9			
1-3 Months	11	BF Part Out		
4-5 Months	14			
6-8 Months	10			
9-11 Months	10			
0-3 Months	23	Fully Formula		
4-5 Months	25			
6-8 Months	17			
9-11 Months	17			
Children & Women	25			

Product Name: Ensure

Cat/Subcat: 41-005 (UPC Butter Pecan: 0-70074-51785-8)

(UPC Coffee Latte: 0-70074-56016-8)

(UPC Chocolate: 0-70074-40701-2)

(UPC Dark Chocolate: 0-70074-53807-5)

(UPC Strawberry: 0-70074-40705-0)

(UPC Vanilla: 0-70074-40711-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Nutritionally complete, low-residue formula suitable for oral or tube feedings. 31 kcal/oz. Lactose free.	For adults and children age 4 and older. May be prescribed when medical conditions which restrict that restricts or precludes the use of conventional foods are present.	6 x 8 oz. pack	48 fl. oz.
Age	Qty			
Children & Women	18			

Product Name: Ensure Clear

Cat/Subcat: 41-289 (UPC Apple: 0-70074-64901-6)

(UPC Mixed Berry: 0-70074-64899-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	High calorie, fat-free oral supplement. Contains high quality protein and 20 essential vitamins and minerals.	For individuals prescribed a clear liquid diet, such as those with cancer, heart disease, pancreatitis, or hyperlipidemia. Also for pre/post-surgical, bowel-prep, fat-malabsorptive and fat-restricted diets.	8 oz.	8 fl. oz.
Age		Qty		
Children & Women		113		

Product Name: Ensure Plus

Cat/Subcat: 41-012 (UPC Butter Pecan: 0-70074-51787-2)
(UPC Chocolate: 0-70074-40702-9)
(UPC Dark Chocolate: 0-70074-53810-5)
(UPC Strawberry Cream: 0-70074-40718-0)
(UPC Vanilla: 0-70074-40707-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Complete balanced nutrition with a unique blend of prebiotic fiber to help promote digestive tract health and antioxidants to support the immune system. 350 kcal/serving.	For the dietary management of individuals with medical conditions requiring extra calories and a higher concentration of protein.	6 x 8 oz. pack	48 fl. oz.
Age	Qty			
Children & Women	18			

Product Name: Essential Care Jr.

Cat/Subcat: 41-500 (UPC Unflavored: 3-24359-80112-6)

(UPC White Chocolate: 3-24359-80312-0)

(UPC Vanilla: 3-24359-80212-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Cambrooke	Nutritionally complete amino acid-based formula. Contains no corn syrup solids. Low FODMAP ingredients.	For the dietary management of severe food allergies and GI disorders.	14.1 oz.	64 fl. oz.
Age	Qty			
Children & Women	14			

Product Name: Fortini

Cat/Subcat: 31-094 (UPC: 7-49735-01212-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	30 calorie/oz. ready-to-feed infant formula.	For infants with failure to thrive, increased energy requirements, and/or fluid restrictions due to conditions such as cystic fibrosis or congenital heart disease.	4 oz.	4 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	96	BF Part In		
4-5 Months	118			
6-8 Months	84			
9-11 Months	84			
0-3 Months	97	BF Part Out		
4-5 Months	119			
6-8 Months	85			
9-11 Months	85			
0-3 Months	208	Fully Formula		
4-5 Months	228			
6-8 Months	160			
9-11 Months	160			
Children & Women	--			

Product Name: Functional Formularies Keto Peptide**Cat/Subcat: 41-370** (UPC 8-57858-00424-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Functional Formularies	Nutritionally complete ketogenic medical food. 2.43:1 ratio of fat: carbohydrate + protein. Organic, whole foods based.	For the dietary management of intractable epilepsy.	8 oz.	8 fl. oz.
Age		Qty		
Children & Women		113		

Product Name: Glucerna Shake**Cat/Subcat: 41-019** (UPC Vanilla: 0-70074-57802-6)

(UPC Strawberry Crème: 0-70074-57808-8)

(UPC Chocolate Delight: 0-70074-57805-7)

(UPC Butter Pecan: 0-70074-57811-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Specially formulated to help minimize blood-sugar spikes. Suitable for lactose intolerance. Gluten-free.	For people with diabetes.	6 x 8 oz. pack	48 fl. oz.
Age		Qty		
Children & Women		18		

Product Name: Kate Farms Nutrition

Cat/Subcat: 41-348 (UPC Chocolate: 8-11112-03121-5)
 (UPC Strawberry: 8-11112-03123-9)
 (UPC Vanilla: 8-11112-03119-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Kate Farms	Complete plant based formula designed to support healthy growth and development. Organic, non-GMO.	For the dietary management of failure to thrive, protein-calorie malnutrition, oral motor feeding difficulty, and inadequate intake associated with chronic health condition.	8.45 oz.	8.45 fl. oz.	
Age		Qty			
Children & Women		107			

Product Name: Kate Farms Pediatric Blended Meals

Cat/Subcat: 41-386 (UPC Banana & Blueberry: 8-11112-03076-8)
 (UPC Mango & Strawberry: 8-11112-03074-4)
 (UPC Squash & Carrots: 8-11112-03008-9)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Kate Farms	Blends of whole foods, pea protein, and vitamins and minerals. Plant based. Organic.	For the dietary management of GI issues associated with developmental delays. For oral or tube feeding use.	8.45 oz.	8.45 fl. oz.	
Age		Qty			
Children & Women		107			

Product Name: Kate Farms Pediatric Peptide 1.0

Cat/Subcat: 41-349 (UPC: 8-11112-03052-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Kate Farms	Hydrolyzed pea protein based formula. Contains a complete amino acid profile. Organic, non-GMO.	For the dietary management of children with milk, soy, or corn allergies transitioning from an elemental formula or with malabsorptive disorders.	8.45 oz.	8.45 fl. oz.
Age	Qty			
Children & Women	107			

Product Name: Kate Farms Pediatric Peptide 1.5

Cat/Subcat: 41-352 (UPC Plain: 8-11112-03069-0)

(UPC Vanilla: 8-51823-00687-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Kate Farms	Hydrolyzed pea protein based formula with 1.5x the calories of standard peptide formula. Contains a complete amino acid profile. Organic, non-GMO.	For the dietary management of children with PCM or FTT on intact protein formulas or those with malabsorptive disorders	8.45 oz.	8.45 fl. oz.
Age	Qty			
Children & Women	107			

Product Name: Kate Farms Pediatric Standard 1.2

Cat/Subcat: 41-350 (UPC Vanilla: 8-51823-00690-4)
(UPC Chocolate: 8-11112-03068-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Kate Farms	A ready-to-use oral and tube feeding formula. Free of whey, lactose, casein, soy, gluten, nuts or corn. Made with organic pea protein, corn-free carbohydrates, functional fats, soluble prebiotic fiber, and 25 micronutrients. Organic, non-GMO.	For the dietary management of children with milk, soy, or corn allergies. For oral and tube feeding regimens.	8.45 oz.	8.45 fl. oz.
Age	Qty			
Children & Women	107			

Product Name: Kate Farms Renal Support 1.8

Cat/Subcat: 41-353 (UPC: 8-11112-03064-5)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Kate Farms	A ready-to-use oral and tube feeding formula. Made with organic pea protein. Free of milk, soy, corn, and gluten. Calorically dense to meet needs with less volume (450 calories/container).	Designed to support the nutritional needs of people on dialysis. For those with allergy or intolerance to milk, soy, and corn.	8.45 oz.	8.45 fl. oz.
Age	Qty			
Children & Women	107			

Product Name: KetoCal 4:1

Cat/Subcat: 41-276 (UPC 27 x 8 oz. case Vanilla: 7-49735-18796-8)
 (UPC 27 x 8 oz. case Unflavored: 7-49735-13054-4)
 (UPC 27 x 8 oz. case Chocolate: 7-49735-10060-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Nutritionally complete. 4:1 ratio of fat: carbohydrate + protein. For oral and tube feedings. Contains a blend of insoluble and soluble fiber.	For the dietary management children with intractable epilepsy.	8 oz.	8 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	54	BF Part In		
4-5 Months	65			
6-8 Months	48			
9-11 Months	48			
0-3 Months	55	BF Part Out		
4-5 Months	66			
6-8 Months	49			
9-11 Months	49			
0-3 Months	104	Fully Formula		
4-5 Months	114			
6-8 Months	80			
9-11 Months	80			
Children & Women	113			

Product Name: KetoVie 3:1**Cat/Subcat: 41-359** (UPC 3-24359-50403-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Cambrooke Therapeutics	Nutritionally complete ketogenic medical food. 3:1 ratio of fat: carbohydrate + protein. 100% whey based protein and 20% of calories as MCT.	For the dietary management of intractable epilepsy.	30 x 8.5 oz. case.	255 fl. oz.
Age		Qty		
Children & Women		3		

Product Name: KetoVie 4:1**Cat/Subcat: 41-332** (UPC 30 x 8.3 oz. case Vanilla: 3-24359-50203-0)
(UPC 30 x 8.3 oz. case Chocolate: 3-24359-50103-3)
(UPC 30 x 8.3 case Unflavored: 3-24359-50306-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Cambrooke Therapeutics	Nutritionally complete formula. 4:1 ratio of fat:carbohydrate + protein. 25% of calories as MCT.	For the dietary management of intractable epilepsy.	30 x 8.3 oz. case.	249 fl. oz.
Age		Qty		
Children & Women		3		

Product Name: KetoVie 4:1 Peptide**Cat/Subcat: 41-354** (UPC: 3-24359-50303-7)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Cambrooke Therapeutics	Hydrolyzed whey protein-based enteral formula that is nutritionally complete. 4:1 ratio of fat:net carbohydrate + protein. 14% of calories as MCT.	For the dietary management of intractable epilepsy.	30 x 8.5 oz. case.	255 fl. oz.
Age		Qty		
Children & Women		3		

Product Name: KetoVie 4:1 Plant Based**Cat/Subcat: 41-376** (UPC: 3-24359-50603-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Cambrooke Therapeutics	Nutritionally complete formula. 4:1 ratio of fat:carbohydrate + protein. 25% of calories as MCT. Free of milk and soy ingredients. Made from pea and hydrolyzed pea protein.	For the dietary management of intractable epilepsy.	30 x 8.5 oz. case.	255 fl. oz.
Age		Qty		
Children & Women		3		

Product Name: Liquigen

Cat/Subcat: 41-327 (UPC: 7-49735-19573-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	An emulsified Medium Chain Triglyceride (MCT) oil.	Recommend for long-chain fatty acid oxidation disorders and conditions managed by the ketogenic diet.	4 x 8.5 oz. pack	34 fl. oz.
Age	Qty			
Children & Women	26			

Product Name: MCT Oil

Cat/Subcat: 41-194 (UPC: 3-00870-36503-3)

(UPC: 0-41679-36503-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	100% Medium-chain triglycerides for absorption directly into the portal circulation	For patients unable to digest or absorb conventional fats due to decreased pancreatic lipase, bile salts, defective mucosal fat absorption or lymphatic transport of fat or severe malabsorption.	32 oz.	32 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	13	BF Part In		
4-5 Months	16			
6-8 Months	12			
9-11 Months	12			
0-3 Months	14	BF Part Out		
4-5 Months	17			
6-8 Months	13			
9-11 Months	13			
0-3 Months	26	Fully Formula		
4-5 Months	28			
6-8 Months	20			
9-11 Months	20			
Children & Women	28			

Product Name: Nepro**Cat/Subcat: 41-029** (UPC Butter Pecan: 0-70074-64797-5)

(UPC Mixed Berry: 0-70074-64795-1)

(UPC 8 oz. can Vanilla: 0-70074-50633-3)

(UPC 8 oz. carton Vanilla: 0-70074-64799-9)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Low in phosphorus, potassium, and sodium. Excellent source of protein to replace what is lost during dialysis. Use as oral and/or tube feeding. Kosher. Gluten free.	Therapeutic nutrition for patients on dialysis (Stage 5 chronic kidney disease)	8 oz.	8 fl. oz.
Age	Qty			
Children & Women	113			

Product Name: Neocate Splash

Cat/Subcat: 41-066 (UPC 8 oz. tetra pack Grape: 7-49735-02435-5)
(UPC 8 oz. tetra pack Orange Pineapple: 7-49735-02436-2)
(UPC 8 oz. tetra pack Tropical Fruit: 7-49735-02437-9)
(UPC 8 oz. tetra pack Vanilla: 7-49735-00059-5)
(UPC 8 oz. tetra pack Unflavored: 7-49735-04451-3)
(UPC Grape case: 7-49735-12670-7)*
(UPC Orange Pineapple case: 7-49735-11050-8)*
(UPC Tropical Fruit case: 7-49735-126660)*
(UPC Vanilla case: 7-49735-10059-2)*
(UPC Unflavored case: 7-49735-14451-0)*

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Hypoallergenic, nutritionally complete, amino acid-based medical food, designed for children over the age of one. May be consumed orally or used as tube feeding.	For children with gastrointestinal tract impairment, cow and soy milk allergy, multiple food protein intolerance, GERD, eosinophilic esophagitis, short bowel syndrome, and other medical conditions where an amino acid-based diet is required.	8 oz.	8 fl. oz.
Age	Qty			
Children & Women	113			

*Removes 27 bottles from benefits

Product Name: Nourish**Cat/Subcat: 41-369** (UPC: 8-57585-00412-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Functional Formularies	Real food, oral meal replacement and enteral formula. Plant based. Low allergenicity: free of gluten, nuts, tree nuts, dairy, soy, and corn. Organic. Non-GMO.	For the nutritional management of children requiring blenderized oral or tube feedings.	12 oz.	12 fl. oz.
Age		Qty		
Children & Women		75		

Product Name: Nourish Peptide**Cat/Subcat: 41-371** (UPC: 8-57858-00427-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Functional Formularies	Real food, complete peptide protein formula with organic coconut MCT oil. Organic. Non-GMO.	For the nutritional management of children requiring blenderized oral or tube feedings.	12 oz.	12 fl. oz.
Age		Qty		
Children & Women		75		

Product Name: Nutramigen

Cat/Subcat: 31-003 (UPC: 3-00875-11564-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Hypoallergenic, casein hydrolysate infant formula. Iron fortified. Lactose-free, sucrose-free. Contains DHA/ARA.	For infants who are allergic to intact proteins in cow's milk and soy formulas.	32 oz.	32 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	13	BF Part In		
4-5 Months	16			
6-8 Months	12			
9-11 Months	12			
0-3 Months	14	BF Part Out		
4-5 Months	17			
6-8 Months	13			
9-11 Months	13			
0-3 Months	26	Fully Formula		
4-5 Months	28			
6-8 Months	20			
9-11 Months	20			
Children & Women	28			

Product Name: Nutren Junior

Cat/Subcat: 41-142 (UPC 8.45 oz. can: 7-98716-06062-2)

(UPC 24 x 8.45 oz. case: 7-98716-16062-9)*

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Nestle	Nutritionally complete, isotonic, whole protein liquid diet for complete or supplemental nutrition support in pediatric patients; use as oral and/or tube feeding; lactose-free, gluten-free, kosher, low-residue	For children (1-10 years) with stable and functioning gastrointestinal tract. Can be used with cancer; pre- and post-surgery; pediatric failure to thrive; neurologic disease or impairment; HIV/AIDS; multiple fractures; anorexia/weight loss; malnutrition and coma	8.45 oz.	8.45 oz.	
Age		Qty			
Children & Women		107			

*Removes 24 cans from benefits

Product Name: Nutren Junior with Fiber**Cat/Subcat: 41-143 (UPC: 7-98716-06063-9)**

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Nutritionally complete, isotonic, whole protein liquid diet for complete or supplemental nutrition support in pediatric patients; use as oral and/or tube feeding; lactose-free, gluten-free, kosher, low-residue	For children (1-10 years) with stable and functioning gastrointestinal tract. Can be used with cancer; pre- and post-surgery; pediatric failure to thrive; neurologic disease or impairment; HIV/AIDS; multiple fractures; anorexia/weight loss; malnutrition and coma. Nutritionally complete, fiber containing whole protein liquid diet for complete or supplemental nutrition support for oral and/or tube feeding in pediatric patients.; lactose-free, gluten-free, kosher, low-residue.	8.45 oz.	8.45 oz.
Age	Qty			
Children & Women	107			

Product Name: Novasource Renal

Cat/Subcat: 41-198 (UPC Vanilla: 0-43900-35111-7)
(UPC Strawberry: 0-43900-13576-2)
(UPC Café Mocha: 0-43900-94469-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Nutritionally complete, calorically dense formula. 19% of calories from protein (92.8 g/L). Kosher. Gluten free.	For the dietary management of chronic kidney disease (CKD) for those on dialysis, acute kidney injury (AKI), and fluid and/or electrolyte restrictions due to CDK or AKI.	8 oz.	8 oz.
Age	Qty			
Children & Women	113			

Product Name: Pediasure Grow and Gain**Cat/Subcat: 41-036** (UPC Strawberry: 0-70074-58056-2)

(UPC Vanilla: 0-70074-58050-0)

(UPC Chocolate: 0-70074-58059-3)

(UPC Banana: 0-70074-58053-1)

(UPC Berry: 0-70074-53819-8)

(UPC S'mores: 0-70074-66920-5)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Abbott	30 kcal/oz.; nutritionally complete supplement; suitable for lactose intolerance and gluten-free.	For children 1 – 10 years who are undernourished due to illness or a medical condition that warrants the prescription of the product.	6 x 8 oz. package	48 fl. oz.	
Age		Qty			
Children & Women		18			

Product Name: Pediasure Grow and Gain with Fiber (6 pack only)**Cat/Subcat: 41-038** (UPC Strawberry: 0-70074-56369-5)

(UPC Vanilla: 0-70074-58062-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Abbott	240 kcal/8 oz.; 3 grams dietary fiber, prebiotics; DHA; suitable for lactose intolerance and gluten free.	For children 1-13 years. May be used as sole source of nutrition or as a supplement.	6 x 8 oz. package	48 fl. oz.	
Age		Qty			
Children & Women		18			

Product Name: Pediasure Grow and Gain with Fiber (4 pack only)**Cat/Subcat: 41-182** (UPC Strawberry: 0-70074-68763-6)

(UPC Vanilla: 0-70074-68760-5)

(UPC Chocolate: 0-70074-68756-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Abbott	240 kcal; 3 grams dietary fiber, prebiotics; DHA; suitable for lactose intolerance and gluten free.	For children 1-13 years. May be used as sole source of nutrition or as a supplement.	4 x 7.4 oz. package	29.6 fl. oz.	
Age		Qty			
Children & Women		30			

Product Name: Pediasure 1.5 Cal**Cat/Subcat: 41-256** (UPC Vanilla 8 oz. bottle: 0-70074-67386-8 or 0-70074-56410-4)

(UPC Vanilla 24 x 8 oz. case: 0-70074-56409-8 or 0-70074-67378-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Abbott	~44 kcal/oz.; nutritionally complete supplement for patients who require higher caloric concentrated feeding; DHA; suitable for lactose intolerance and gluten free.	For children 1 to 13 years with malnutrition, fluid restrictions, or have poor tolerance to large volume feeds. Not intended for infants under 1 year of age.	8 oz.	8 fl. oz.	
Age		Qty			
Children & Women		113			

Product Name: Pediasure 1.5 Cal with Fiber**Cat/Subcat: 41-257** (UPC Vanilla 8 oz. bottle: 0-70074-67375-2 or 0-70074-56412-8)

(UPC Vanilla 24 x 8 oz. case: 0-70074-56411-1 or 0-70074-67374-5)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	~44 kcal/oz.; nutritionally complete supplement for patients who require higher caloric concentrated feeding; suitable for lactose intolerance and gluten free. Contains prebiotic fiber.	For children 1 to 13 years with malnutrition, fluid restrictions, or have poor tolerance to large volume feeds. Not intended for infants under 1 year of age.	8 oz.	8 fl. oz.
Age		Qty		
Children & Women		113		

Product Name: Pediasure Enteral Formula**Cat/Subcat: 41-037** (UPC 8 oz. bottle: 0-70074-67402-5 or 0-70074-51805-3)

(UPC 24 x 8 oz. case: 0-70074-67401-8)*

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Milk-based, complete nutrition; 240 kcal/8 oz.; not for children galactosemia; not for parenteral use.	Designed for tube feeding children 1-13 years. May be used as sole source of nutrition or supplement. Not intended for infants under 1 year of age.	8 oz.	8 fl. oz.
Age		Qty		
Children & Women		113		

*Removes 24 bottles from benefits

Product Name: Pediasure Enteral with Fiber

Cat/Subcat: 41-039 (UPC 8 oz. bottle: 0-70074-67404-9 or 0-70074-51807-7)
 (UPC 24 x 8 oz. case: 0-70074-67403-2)*

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Milk-based, complete nutrition; 240 kcal/8 oz.; not for children galactosemia; not for parenteral use. A blend of soluble and insoluble fibers and fructooligosaccharides (prebiotic).	Designed for tube feeding children 1-13 years. May be used as sole source of nutrition or as a supplement. Not intended for infant under 1 year of age.	8 oz.	8 fl. oz.
Age		Qty		
Children & Women		113		

*Removes 24 bottles from benefits

Product Name: Pediasure Harvest

Cat/Subcat: 41-358 (UPC 8 oz. bottle: 0-70074-67963-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Blenderized tube feeding formulated from traditional foods.	Source of complete nutrition. Designed for tube fed children between the ages of 1-13 years. Not intended for infants under 1 year of age.	8 oz.	8 fl. oz.
Age		Qty		
Children & Women		113		

Product Name: Pediasure Peptide 1.0 Cal**Cat/Subcat: 41-228** (UPC Vanilla 24 x 8 oz. case: 0-70074-67410-0)

(UPC Strawberry 24 x 8 oz. case: 0-70074-62122-7)

(UPC Unflavored 24 x 8 oz. case: 0-70074-67414-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Therapeutic semi-elemental nutrition for children for tube or oral feeding.	Sole source or supplemental nutrition; for children 1-13 years with malabsorption, maldigestion or impaired GI function resulting from: inflammatory bowel disease, cystic fibrosis, celiac disease, pancreatic disorders, short-bowel syndrome, diarrhea, bowel resection, cerebral palsy, early enteral feeding, transitioning from TPN and special health needs.	8 oz.	8 fl. oz.
Age	Qty			
Children & Women	113			

Product Name: Pediasure Peptide 1.5 Cal**Cat/Subcat: 41-258** (UPC Vanilla: 0-70074-67418-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Abbott	Therapeutic semi-elemental nutrition for children for tube or oral feeding.	Sole source or supplemental nutrition; for children 1-13 years with malabsorption, maldigestion or impaired GI function. Designed to meet needs of children who require higher caloric density, have fluid restrictions, or are at risk for malnutrition.	8 oz.	8 fl. oz.	
Age		Qty			
Children & Women		113			

Product Name: Pediasure Reduced Calorie**Cat/Subcat: 41-379** (UPC Vanilla: 0-70074-67613-5)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Abbott	150 kcal and 5g fat/8 oz. Contains prebiotics and DHA. Suitable for lactose intolerance. Gluten free.	For children requiring a lower calorie supplement.	8 oz.	8 fl. oz.	
Age		Qty			
Children & Women		113			

Product Name: Pediasure Sidekicks

Cat/Subcat: 41-235 (UPC Vanilla: 0-70074-66913-7)

(UPC Chocolate: 070074666402)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	180 kcal, 10 g protein and 6g fat/8 oz. Suitable for lactose intolerance. Gluten free.	For children requiring a lower calorie supplement with more protein.	6 x 8 oz. pack	48 fl. oz.
Age	Qty			
Children & Women	18			

Product Name: Peptamen Junior**Cat/Subcat: 41-153** (UPC Unflavored: 7-98716-06253-4)

(UPC Vanilla: 7-98716-06252-7)

(UPC Chocolate: 7-98716-60110-8)

(UPC Strawberry: 7-98716-60140-5)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	30 kcal/oz.; nutritionally complete, isotonic, peptide-based elemental diet partially hydrolyzed whey protein. Provides complete or supplemental nutritional support; for tube feeding use; lactose and gluten free.	Provides a customized protein, lipid, vitamin, and mineral profile for children (1–10 years) with impaired gastrointestinal function; also for inflammatory bowel disease, short bowel syndrome, cystic fibrosis, chronic diarrhea, malabsorption, cerebral palsy, delayed gastric emptying, HIV/AIDS, and growth failure.	8.45 oz.	8.45 fl. oz.
Age	Qty			
Children & Women	107			

Product Name: Peptamen Junior with Fiber

Cat/Subcat: 41-271 (UPC: 7-98716-60200-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Enzymatically hydrolyzed, 100% whey protein to facilitate gastric emptying; nutritionally complete for tube feeding or oral supplementation; lactose and gluten free.	For children (1-13 years) with impaired GI function: short bowel syndrome, cerebral palsy, cystic fibrosis, Crohn's disease, malabsorption, chronic diarrhea, delayed gastric emptying, growth failure.	8.45 oz.	8.45 fl. oz.
Age	Qty			
Children & Women	107			

Product Name: Peptamen Junior 1.5**Cat/Subcat: 41-234** (UPC Unflavored: 7-98716-07363-9)

(UPC Vanilla: 0-98716-70482-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	100% whey, enzymatically hydrolyzed protein; 60% MCT oil; 5.6g/L PREBIO soluble fiber blend; lactose and gluten free.	For ages 1-13 years, with impaired GI function: volume/fluid restrictions, critical illness/trauma, transplant patients, cystic fibrosis, crohn's disease, cerebral palsy, short bowel syndrome, malabsorption, chronic diarrhea, growth failure, early enteral feeding, transition from TPN	8.45 oz.	8.45 fl. oz
Age	Qty			
Children & Women	107			

Product Name: Pregestimil 24 kcal

Cat/Subcat: 31-010 (UPC: 3-00871-43441-7)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Hypoallergenic and lactose-free; 55% of the fat comes from MCT oil	For infants experiencing fat malabsorption related to cystic fibrosis, short bowel syndrome, intractable diarrhea or severe protein calorie malnutrition and who may also be sensitive to intact proteins.	6 x 2 oz. package	12 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	8	BF Part In		
4-5 Months	32			
6-8 Months	42			
9-11 Months	42			
0-3 Months	9	BF Part Out		
4-5 Months	33			
6-8 Months	43			
9-11 Months	43			
0-3 Months	69	Fully Formula		
4-5 Months	76			
6-8 Months	53			
9-11 Months	53			
Children & Women	75			

Product Name: ProMod Liquid Protein

Cat/Subcat: 41-330 (UPC 32 oz. bottle: 0-70074-59722-5)
(UPC 6 x 32 oz. case: 0-70074-59721-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Abbott	Concentrated liquid protein	For individuals with increased protein needs including wounds, protein-energy malnutrition, involuntary weight loss, pre-and post-surgery, anorexia, stress, trauma, cancer and burns.	32 oz.	32 fl. oz	
Age		Qty			
Children & Women		28			

Product Name: Resource 2.0**Cat/Subcat: 41-265 (UPC: 0-43900-18010-6)**

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	2.0 kcal/mL; 20 g protein; lactose and gluten free; low-residue	For malnutrition, fluid restriction, inadequate oral intake and unintentional weight loss.	8 oz.	8 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	54	BF Part In		
4-5 Months	65			
6-8 Months	48			
9-11 Months	48			
0-3 Months	55	BF Part Out		
4-5 Months	67			
6-8 Months	49			
9-11 Months	49			
0-3 Months	104	Fully Formula		
4-5 Months	114			
6-8 Months	80			
9-11 Months	80			
Children & Women	113			

Product Name: Similac Expert Care Alimentum**Cat/Subcat: 31-032** (UPC 32 oz. bottle: 0-70074-57513-1)
(UPC 6 x 8 oz. case: 0-70074-57509-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Casein hydrolysate; hypoallergenic infant formula with DHA/ARA; iron fortified; lactose-free. 33% of fat from MCT oil. Contains corn derivatives.	For infants with severe food allergies, sensitivity to intact protein or fat malabsorption.	32 oz.	32 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	12	BF Part In		
4-5 Months	14			
6-8 Months	10			
9-11 Months	10			
0-3 Months	13	BF Part Out		
4-5 Months	15			
6-8 Months	11			
9-11 Months	11			
0-3 Months	26	Fully Formula		
4-5 Months	28			
6-8 Months	20			
9-11 Months	20			
Children & Women	28			

Product Name: Similac Expert Care NeoSure

Cat/Subcat: 31-031 (UPC 32 oz. bottle: 0-70074-57456-1)
 (UPC 8 x 2 oz. nursette: 0-70074-11484-2)*

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Higher calorie, higher nutrient base formula. May be used for oral or tube feeding.	For premature infants.	32 oz.	32 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	12	BF Part In		
4-5 Months	14			
6-8 Months	10			
9-11 Months	10			
0-3 Months	13	BF Part Out		
4-5 Months	15			
6-8 Months	11			
9-11 Months	11			
0-3 Months	26	Fully Formula		
4-5 Months	28			
6-8 Months	20			
9-11 Months	20			
Children & Women	28			

*Removes 1/2 bottle from benefits

Product Name: Similac Soy Isomil

Cat/Subcat: 21-033 (UPC: 0-70074-55968-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Nutritionally complete, soy-based infant formula. Iron fortified. Milk free, lactose free. Contains DHA.	For infants (0-12 months) with sensitivity to milk-based formula.	32 oz.	32 fl. oz.
Age	Qty	Feeding Method		
0-3 Months	12	BF Part In		
4-5 Months	14			
6-8 Months	10			
9-11 Months	10			
0-3 Months	13	BF Part Out		
4-5 Months	15			
6-8 Months	11			
9-11 Months	11			
0-3 Months	26	Fully Formula		
4-5 Months	28			
6-8 Months	20			
9-11 Months	20			
Children & Women	28			

Product Name: Similac Special Care 24
Cat/Subcat: 31-040 (UPC: 0-70074-56270-4)

Call State office prior to issuing

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	24 kcal/fl. oz.; iron fortified; DHA/ARA; calcium: phosphorous ratio (1:8:1); ~2 mg iron/kg body weight per day when fed at 120 kcal/kg body weight; gluten free	For growing, low birth-weight infants and premature infants. Not intended for feedings after infants reach a weight of 3,600 g (~8 pounds).	2 oz.	2 fl. oz.
Age		Qty	Feeding Method	
0-3 Months		192	BF Part In	
4-5 Months		237		
6-8 Months		169		
9-11 Months		169		
0-3 Months		193	BF Part Out	
4-5 Months		238		
6-8 Months		170		
9-11 Months		170		
0-3 Months		416	Fully Formula	
4-5 Months		456		
6-8 Months		321		
9-11 Months		321		
Children & Women		--		

Product Name: Similac Special Care 30

Cat/Subcat: 31-085 (UPC 2 oz. nursette: 0-70074-11486-6)
 (UPC 8 x 2 oz. package: 0-70074-56312-1)*
 (UPC 48 x 2 oz. case: 0-70074-56313-8)**

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	30 kcal/fl. oz. Iron-fortified with DHA, lutein, and Vit. E.	For growing, low birth-weight infants and premature infants. Not intended for feedings after infants reach a weight of 3,600 g (~8 pounds).	2 oz.	2 fl. oz.
Age		Qty	Feeding Method	
0-3 Months		192	BF Part In	
4-5 Months		237		
6-8 Months		169		
9-11 Months		169		
0-3 Months		193	BF Part Out	
4-5 Months		238		
6-8 Months		170		
9-11 Months		170		
0-3 Months		416	Fully Formula	
4-5 Months		456		
6-8 Months		321		
9-11 Months		321		
Children & Women		455		

*Removes 48 bottles from benefits

**Removes 8 bottles from benefits

Product Name: Suplena**Cat/Subcat: 41-050** (UPC: 0-70074-59665-5)

(UPC: 0-70074-62089-3)

(UPC: 0-70074-64793-7)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Abbott	Therapeutic nutrition for people with chronic kidney disease (stages 3 & 4).	To help maintain nutritional status while adhering to a renal diet.	8 oz.	8 fl. oz.	
Age		Qty			
Children & Women		113			

Product Name: TwoCal HN**Cat/Subcat: 41-051** (UPC Vanilla: 0-70074-40729-6)

(UPC Butter Pecan: 0-70074-54065-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit	
Abbott	Nutritionally complete; high-calorie liquid food. Sole-source or supplemental nutrition. Tube or oral feedings.	For stressed patients and those requiring low-volume feedings. For assistance with weight gain or maintenance. Use under medical supervision.	8 oz.	8 fl. oz.	
Age		Qty			
Children & Women		113			

In accordance with federal civil rights law and U.S. Department of Agriculture (USDA) civil rights regulations and policies, this institution is prohibited from discriminating on the basis of race, color, national origin, sex (including gender identity and sexual orientation), disability, age, or reprisal or retaliation for prior civil rights activity.

Program information may be made available in languages other than English. Persons with disabilities who require alternative means of communication to obtain program information (e.g., Braille, large print, audiotape, American Sign Language), should contact the responsible state or local agency that administers the program or USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact USDA through the Federal Relay Service at (800) 877-8339.

To file a program discrimination complaint, a Complainant should complete a Form AD-3027, USDA Program Discrimination Complaint Form which can be obtained online at: <https://www.usda.gov/sites/default/files/documents/ad-3027.pdf>, from any USDA office, by calling (866) 632-9992, or by writing a letter addressed to USDA. The letter must contain the complainant's name, address, telephone number, and a written description of the alleged discriminatory action in sufficient detail to inform the Assistant Secretary for Civil Rights (ASCR) about the nature and date of an alleged civil rights violation. The completed AD-3027 form or letter must be submitted to USDA by:

mail:
U.S. Department of Agriculture
Office of the Assistant Secretary for Civil Rights
1400 Independence Avenue, SW
Washington, D.C. 20250-9410; or
fax: (833) 256-1665 or (202) 690-7442; or
email: Program.Intake@usda.gov

This institution is an equal opportunity provider.

Template 1: Infant Formula

Product Name:

Cat/Subcat: (UPC:)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Age	Qty	Feeding Method		
1-3 Months		BF Part In		
4-5 Months				
6-8 Months				
9-11 Months				
1-3 Months		BF Part Out		
4-5 Months				
6-8 Months				
9-11 Months				
0-3 Months		Fully Formula		
4-5 Months				
6-8 Months				
9-11 Months				
Children & Women				

Template 2: Children & Women Only Formula

Product Name:

Cat/Subcat: (UPC:)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Age		Qty		
Children & Women				