

**Iowa Medicaid
Family Planning Procedure Codes**

Code	Description	Sex	22 FS	Age
00851	Anesthesia for intraperitoneal procedures in lower abdomen including laparoscopy; tubal ligation/transection	F	-	Min 21
00921	Anesthesia for procedures on male genitalia (including open urethral procedures); vasectomy, unilateral or bilateral	M	-	Min 21
00952	Anesthesia for vaginal procedures (including biopsy of labia, vagina, cervix or endometrium); hysteroscopy and/or hysterosalpingography	F	-	
11976	Removal, implantable contraceptive capsules	F	*	Min 12
11981	Insertion, drug-delivery implant (i.e., bioresorbable, biodegradable, non-biodegradable)	B	*	
11982	Removal, non-biodegradable drug delivery implant	B	*	
11983	Removal with reinsertion, non-biodegradable drug delivery implant	B	*	
36415	Collection of venous blood by venipuncture	B	*	
36416	Collection of capillary blood specimen (eg, finger, heel, ear stick)	B	*	
36591	Collection of blood specimen from a completely implantable venous access device	B	*	
36592	Collection of blood specimen using established central or peripheral catheter, venous, not otherwise specified	B	*	
36593	Declotting by thrombolytic agent of implanted vascular access device or catheter	B	*	
43248	Esophagogastroduodenoscopy, flexible, transoral; with insertion of guide wire followed by passage of dilator(s) through esophagus over guide wire	B	*	
55250	Vasectomy, unilateral or bilateral (separate procedure), including postoperative semen examination(s)	M	*	Min 21
55300	Vasotomy for vasograms, seminal vesiculograms, or epididymograms, unilateral or bilateral	M	*	
56420	Incision and drainage of Bartholin's gland abscess	F	*	
56501	Destruction of lesion(s), vulva; simple (eg, laser surgery, electrosurgery, cryosurgery, chemosurgery)	F	*	
56515	Destruction of lesion(s), vulva; extensive (eg, laser surgery, electrosurgery, cryosurgery, chemosurgery)	F	*	
56820	Colposcopy of the vulva	F	*	
56821	Colposcopy of the vulva; with biopsy(s)	F	*	
57170	Diaphragm or cervical cap fitting with instructions	F	*	12-53
57180	Introduction of any hemostatic agent or pack for spontaneous or traumatic nonobstetrical vaginal hemorrhage (separate procedure)	F	*	
57410	Pelvic examination under anesthesia (other than local)	F	-	
57420	Colposcopy of the entire vagina, with cervix if present;	F	*	
57421	Colposcopy of the entire vagina, with cervix if present; with biopsy(s) of vagina/cervix	F	*	
57452	Colposcopy of the cervix including upper/adjacent vagina;	F	*	
57454	Colposcopy of the cervix including upper/adjacent vagina; with biopsy(s) of the cervix and endocervical curettage	F	*	
57455	Colposcopy of the cervix including upper/adjacent vagina; with biopsy(s) of the cervix	F	*	
57456	Colposcopy of the cervix including upper/adjacent vagina; with endocervical curettage	F	*	

Code	Description	Sex	22 FS	Age
57465	Computer-aided mapping of cervix uteri during colposcopy, including optical dynamic spectral imaging and algorithmic quantification of the acetowhitening effect (List separately in addition to code for primary procedure)	F	*	
57500	Biopsy of cervix, single or multiple, or local excision of lesion, with or without fulguration (separate procedure)	F	*	
57505	Endocervical curettage (not done as part of a dilation and curettage)	F	*	
57510	Cautery of cervix; electro or thermal	F	*	
57511	Cautery of cervix; cryocautery, initial or repeat	F	*	
57513	Cautery of cervix; laser ablation	F	*	
57520	Conization of cervix, with or without fulguration, with or without dilation and curettage, with or without repair; cold knife or laser	F	*	
57522	Conization of cervix, with or without fulguration, with or without dilation and curettage, with or without repair; loop electrode excision	F	*	
58100	Endometrial sampling (biopsy) with or without endocervical sampling (biopsy), without cervical dilation, any method (separate procedure)	F	*	
58110	Endometrial sampling (biopsy) performed in conjunction with colposcopy (List separately in addition to code for primary procedure)	F	*	
58300	Insertion of intrauterine device (IUD)	F	*	12-59
58301	Removal of intrauterine device (IUD)	F	*	12-56
58340	Catheterization and introduction of saline or contrast material for saline infusion sonohysterography (SIS) or hysterosalpingography	F	-	
58562	Hysteroscopy, surgical; with removal of impacted foreign body	F	-	
58565	Hysteroscopy, surgical; with bilateral fallopian tube cannulation to induce occlusion by placement of permanent implants	F	*	
58600	Ligation or transection of fallopian tube(s), abdominal or vaginal approach, unilateral or bilateral	F	*	21-56
58605	Ligation or transection of fallopian tube(s), abdominal or vaginal approach, postpartum, unilateral or bilateral, during same hospitalization (separate procedure)	F	*	21-56
58611	Ligation or transection of fallopian tube(s) when done at the time of cesarean delivery or intra-abdominal surgery (not a separate procedure) (List separately in addition to code for primary procedure)	F	-	12-56
58615	Occlusion of fallopian tube(s) by device (eg, band, clip, Falope ring) vaginal or suprapubic approach	F	*	21-56
58670	Laparoscopy, surgical; with fulguration of oviducts (with or without transection)	F	-	
58671	Laparoscopy, surgical; with occlusion of oviducts by device (eg, band, clip, or Falope ring)	F	-	
58700	Salpingectomy, complete or partial, unilateral or bilateral (separate procedure)	F	-	
59425	Antepartum care only; 4-6 visits	F	*	10-60
59426	Antepartum care only; 7 or more visits	F	*	10-60
64435	Injection(s), anesthetic agent(s) and/or steroid; paracervical (uterine) nerve	F	-	
71045	Radiologic examination, chest; single view	B	-	
71046	Radiologic examination, chest; 2 views	B	-	
72190	Radiologic examination, pelvis; complete, minimum of 3 views	B	-	
74740	Hysterosalpingography, radiological supervision and interpretation	F	-	
76813	Ultrasound, pregnant uterus, real time with image documentation, first trimester fetal nuchal translucency measurement, transabdominal or transvaginal approach; single or first gestation	F	*	
76814	Ultrasound, pregnant uterus, real time with image documentation, first trimester fetal nuchal translucency measurement, transabdominal or transvaginal approach; each additional gestation (List separately in addition to code for primary procedure)	F	*	

Code	Description	Sex	22 FS	Age
76815	Ultrasound, pregnant uterus, real time with image documentation, limited (eg, fetal heartbeat, placental location, fetal position and/or qualitative amniotic fluid volume), 1 or more fetuses	F	*	10-60
76830	Ultrasound, transvaginal	F	-	
76856	Ultrasound, pelvic (nonobstetric), real time with image documentation; complete	B	*	
76857	Ultrasound, pelvic (nonobstetric), real time with image documentation; limited or follow-up (eg, for follicles)	B	*	
76882	Ultrasound, limited, joint or other nonvascular extremity structure(s) (eg, joint space, peri-articular tendon[s], muscle[s], nerve[s], other soft tissue structure[s], or soft tissue mass[es]), real-time with image documentation	B	-	
80053	Comprehensive metabolic panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphatase, alkaline (84075) Potassium (84132) Protein, total (84155) Sodium (84295) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450) Urea nitrogen (BUN) (84520)	B	-	
81000	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, with microscopy	B	*	
81001	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, with microscopy	B	*	
81002	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, without microscopy	B	*	
81003	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, without microscopy	B	*	
81025	Urine pregnancy test, by visual color comparison methods	F	*	10-60
82948	Glucose; blood, reagent strip	B	*	
82962	Glucose, blood by glucose monitoring device(s) cleared by the FDA specifically for home use	B	*	
84702	Gonadotropin, chorionic (hCG); quantitative	B	-	
84703	Gonadotropin, chorionic (hCG); qualitative	B	*	10-60
85004	Blood count; automated differential WBC count	B	*	
85007	Blood count; blood smear, microscopic examination with manual differential WBC count	B	*	
85013	Blood count; spun microhematocrit	B	*	
85014	Blood count; hematocrit (Hct)	B	*	
85018	Blood count; hemoglobin (Hgb)	B	*	
85025	Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) and automated differential WBC count	B	-	
85027	Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count)	B	-	
86318	Immunoassay for infectious agent antibody(ies), qualitative or semiquantitative, single-step method (eg, reagent strip);	B	-	
86480	Tuberculosis test, cell mediated immunity antigen response measurement; gamma interferon	B	*	
86481	Tuberculosis test, cell mediated immunity antigen response measurement; enumeration of gamma interferon-producing T-cells in cell suspension	B	*	
86580	Skin test; tuberculosis, intradermal	B	*	
86592	Syphilis test, non-treponemal antibody; qualitative (eg, VDRL, RPR, ART)	B	-	
86593	Syphilis test, non-treponemal antibody; quantitative	B	-	
86689	Antibody; HTLV or HIV antibody, confirmatory test (eg, Western Blot)	B	*	

Code	Description	Sex	22 FS	Age
86694	Antibody; herpes simplex, non-specific type test	B	*	
86701	Antibody; HIV-1	B	*	
86702	Antibody; HIV-2	B	*	
86703	Antibody; HIV-1 and HIV-2, single result	B	*	
86704	Hepatitis B core antibody (HBcAb); total	B	*	
86706	Hepatitis B surface antibody (HBsAb)	B	*	
86780	Antibody; Treponema pallidum	B	*	
87088	Culture, bacterial; with isolation and presumptive identification of each isolate, urine	B	-	
87102	Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; other source (except blood)	B	*	
87110	Culture, chlamydia, any source	B	*	
87177	Ova and parasites, direct smears, concentration and identification	B	-	
87205	Smear, primary source with interpretation; Gram or Giemsa stain for bacteria, fungi, or cell types	B	*	
87210	Smear, primary source with interpretation; wet mount for infectious agents (eg, saline, India ink, KOH preps)	B	*	
87220	Tissue examination by KOH slide of samples from skin, hair, or nails for fungi or ectoparasite ova or mites (eg, scabies)	B	*	
87252	Virus isolation; tissue culture inoculation, observation, and presumptive identification by cytopathic effect	B	*	
87340	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; hepatitis B surface antigen (HBsAg)	B	*	
87389	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; HIV-1 antigen(s), with HIV-1 and HIV-2 antibodies, single result	B	*	
87390	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; HIV-1	B	*	
87490	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, direct probe technique	B	-	
87491	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique	B	-	
87534	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, direct probe technique	B	*	
87535	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, amplified probe technique, includes reverse transcription when performed	B	*	
87536	Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, quantification, includes reverse transcription when performed	B	*	
87563	Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma genitalium, amplified probe technique	B	*	
87590	Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, direct probe technique	B	-	
87591	Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe technique	B	-	
87623	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), low-risk types (eg, 6, 11, 42, 43, 44)	B	*	
87624	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), high-risk types (eg, 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68)	B	*	

Code	Description	Sex	22 FS	Age
87625	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), types 16 and 18 only, includes type 45, if performed	B	*	
87660	Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, direct probe technique	B	*	
87661	Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, amplified probe technique	B	*	
87798	Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	B	*	
87806	Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; HIV-1 antigen(s), with HIV-1 and HIV-2 antibodies	B	*	
88141	Cytopathology, cervical or vaginal (any reporting system), requiring interpretation by physician	F	-	
88142	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; manual screening under physician supervision	F	-	
88143	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; with manual screening and rescreening under physician supervision	F	-	
88147	Cytopathology smears, cervical or vaginal; screening by automated system under physician supervision	F	-	
88148	Cytopathology smears, cervical or vaginal; screening by automated system with manual rescreening under physician supervision	F	-	
88150	Cytopathology, slides, cervical or vaginal; manual screening under physician supervision	F	-	
88152	Cytopathology, slides, cervical or vaginal; with manual screening and computer-assisted rescreening under physician supervision	B	-	
88153	Cytopathology, slides, cervical or vaginal; with manual screening and rescreening under physician supervision	F	-	
88164	Cytopathology, slides, cervical or vaginal (the Bethesda System); manual screening under physician supervision	F	-	
88165	Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and rescreening under physician supervision	F	-	
88166	Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and computer-assisted rescreening under physician supervision	F	-	
88167	Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and computer-assisted rescreening using cell selection and review under physician supervision	F	-	
88174	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; screening by automated system, under physician supervision	F	-	
88175	Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; with screening by automated system and manual rescreening or review, under physician supervision	F	-	
88302	Level II - Surgical pathology, gross and microscopic examination Appendix, incidental Fallopian tube, sterilization Fingers/toes, amputation, traumatic Foreskin, newborn Hernia sac, any location Hydrocele sac Nerve Skin, plastic repair Sympathetic ganglion Testis, castration Vaginal mucosa, incidental Vas deferens, sterilization	B	-	
88305	Level IV - Surgical pathology	B	*	
88307	Level V - Surgical pathology	B	*	
88738	Hemoglobin (Hgb), quantitative, transcutaneous	B	*	
89300	Semen analysis; presence and/or motility of sperm including Huhner test (post coital)	B	-	
89321	Semen analysis; sperm presence and motility of sperm, if performed	M	*	

Code	Description	Sex	22 FS	Age
90460	Immunization administration through 18 years of age via any route of administration, with counseling by physician or other qualified health care professional; first or only component of each vaccine or toxoid administered	B	*	
90461	Immunization administration through 18 years of age via any route of administration, with counseling by physician or other qualified health care professional; each additional vaccine or toxoid component administered (List separately in addition to code for primary procedure)	B	*	
90471	Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); 1 vaccine (single or combination vaccine/toxoid)	B	*	
90472	Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); each additional vaccine (single or combination vaccine/toxoid) (List separately in addition to code for primary procedure)	B	*	
90473	Immunization administration by intranasal or oral route; 1 vaccine (single or combination vaccine/toxoid)	B	*	
90474	Immunization administration by intranasal or oral route; each additional vaccine (single or combination vaccine/toxoid) (List separately in addition to code for primary procedure)	B	*	
90619	Meningococcal conjugate vaccine, serogroups A, C, W, Y, quadrivalent, tetanus toxoid carrier (MenACWY-TT), for intramuscular use	B	*	Min 2
90620	Meningococcal recombinant protein and outer membrane vesicle vaccine, serogroup B (MenB-4C), 2 dose schedule, for intramuscular use	B	*	
90621	Meningococcal recombinant lipoprotein vaccine, serogroup B (MenB-FHbp), 2 or 3 dose schedule, for intramuscular use	B	*	
90630	Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, for intradermal use	B	*	
90649	Human Papillomavirus vaccine, types 6, 11, 16, 18, quadrivalent (4vHPV), 3 dose schedule, for intramuscular use	B	*	9-45
90650	Human Papillomavirus vaccine, types 16, 18, bivalent (2vHPV), 3 dose schedule, for intramuscular use	B	*	
90651	Human Papillomavirus vaccine types 6, 11, 16, 18, 31, 33, 45, 52, 58, nonavalent (9vHPV), 2 or 3 dose schedule, for intramuscular use	B	*	
90674	Influenza virus vaccine, quadrivalent (cIIV4), derived from cell cultures, subunit, preservative and antibiotic free, 0.5 mL dosage, for intramuscular use	B	*	
90681	Rotavirus vaccine, human, attenuated (RV1), 2 dose schedule, live, for oral use	B	*	
90682	Influenza virus vaccine, quadrivalent (RIV4), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use	B	*	
90689	Influenza virus vaccine quadrivalent (IIV4), inactivated, adjuvanted, preservative free, 0.25 mL dosage, for intramuscular use	B	*	
90750	Zoster (shingles) vaccine (HZV), recombinant, subunit, adjuvanted, for intramuscular use	B	*	
90756	Influenza virus vaccine, quadrivalent (cIIV4), derived from cell cultures, subunit, antibiotic free, 0.5mL dosage, for intramuscular use	B	*	
90863	Pharmacologic management, including prescription and review of medication, when performed with psychotherapy services (List separately in addition to the code for primary procedure)	B	*	
91300	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3mL dosage, diluent reconstituted, for intramuscular use	B	*	

Code	Description	Sex	22 FS	Age
91301	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 100 mcg/0.5mL dosage, for intramuscular use	B	*	
91303	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, adenovirus type 26 (Ad26) vector, preservative free, 5x10 ¹⁰ viral particles/0.5mL dosage, for intramuscular use	B	*	
91305	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation, for intramuscular use	B	*	
91306	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.25 mL dosage, for intramuscular use	B	*	
93000	Electrocardiogram, routine ECG with at least 12 leads; with interpretation and report	B	-	
94761	Noninvasive ear or pulse oximetry for oxygen saturation; multiple determinations (eg, during exercise)	B	-	
96160	Administration of patient-focused health risk assessment instrument (eg, health hazard appraisal) with scoring and documentation, per standardized instrument	B	*	
96161	Administration of caregiver-focused health risk assessment instrument (eg, depression inventory) for the benefit of the patient, with scoring and documentation, per standardized instrument	B	*	
96372	Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular	B	*	
99000	Handling and/or conveyance of specimen for transfer from the office to a laboratory	B	*	
99001	Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	B	*	
99002	Handling, conveyance, and/or any other service in connection with the implementation of an order involving devices (eg, designing, fitting, packaging, handling, delivery or mailing) when devices such as orthotics, protectives, prosthetics are fabricated by an outside laboratory or shop, but which items have been designed, and are to be fitted and adjusted by the attending physician or other qualified health care professional	B	-	
99151	Moderate sedation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status; initial 15 minutes of intraservice time, patient younger than 5 years of age	B	-	
99152	Moderate sedation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status; initial 15 minutes of intraservice time, patient aged 5 years or older	B	-	Min 5
99153	Moderate sedation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status; each additional 15 minutes intraservice time (List separately in addition to code for primary service)	B	-	

Code	Description	Sex	22 FS	Age
99202	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using time for code selection, 15-29 minutes of total time is spent on the date of the encounter.	B	*	
99203	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using time for code selection, 30-44 minutes of total time is spent on the date of the encounter.	B	*	
99204	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using time for code selection, 45-59 minutes of total time is spent on the date of the encounter.	B	*	
99205	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using time for code selection, 60-74 minutes of total time is spent on the date of the encounter.	B	*	
99211	Office or other outpatient visit for the evaluation and management of an established patient that may not require the presence of a physician or other qualified health care professional	B	*	
99212	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using time for code selection, 10-19 minutes of total time is spent on the date of the encounter.	B	*	
99213	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using time for code selection, 20-29 minutes of total time is spent on the date of the encounter.	B	*	
99214	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using time for code selection, 30-39 minutes of total time is spent on the date of the encounter.	B	*	
99215	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using time for code selection, 40-54 minutes of total time is spent on the date of the encounter.	B	*	
99383	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; late childhood (age 5 through 11 years)	B	*	5-11
99384	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; adolescent (age 12 through 17 years)	B	*	12-17
99385	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 18-39 years	B	*	18-39
99386	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 40-64 years	B	*	40-64

Code	Description	Sex	22 FS	Age
99393	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; late childhood (age 5 through 11 years)	B	*	5-11
99394	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; adolescent (age 12 through 17 years)	B	*	12-17
99395	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 18-39 years	B	*	18-39
99396	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 40-64 years	B	*	40-64
99401	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 15 minutes	B	*	
99402	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 30 minutes	B	*	
99403	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 45 minutes	B	*	
99404	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 60 minutes	B	*	
99408	Alcohol and/or substance (other than tobacco) abuse structured screening (eg, AUDIT, DAST), and brief intervention (SBI) services; 15 to 30 minutes	B	*	
99417	Prolonged office or other outpatient evaluation and management service(s) beyond the minimum required time of the primary procedure which has been selected using total time, requiring total time with or without direct patient contact beyond the usual service, on the date of the primary service, each 15 minutes of total time (List separately in addition to codes 99205, 99215 for office or other outpatient Evaluation and Management services)	B	*	
0001A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3mL dosage, diluent reconstituted; first dose	B	*	
0002A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3mL dosage, diluent reconstituted; second dose	B	*	
0003A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, diluent reconstituted; third dose	B	*	
0004A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, diluent reconstituted; booster dose	B	*	
0011A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 100 mcg/0.5mL dosage; first dose	B	*	

Code	Description	Sex	22 FS	Age
0012A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 100 mcg/0.5mL dosage; second dose	B	*	
0013A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 100 mcg/0.5 mL dosage; third dose	B	*	
0031A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, adenovirus type 26 (Ad26) vector, preservative free, 5x10 ¹⁰ viral particles/0.5mL dosage; single dose	B	*	
0034A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, adenovirus type 26 (Ad26) vector, preservative free, 5x10 ¹⁰ viral particles/0.5mL dosage; booster dose	B	*	
0051A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation; first dose	B	*	
0052A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation; second dose	B	*	
0053A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation; third dose	B	*	
0054A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation; booster dose	B	*	
0064A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.25 mL dosage, booster dose	B	*	
0567T	Permanent fallopian tube occlusion with degradable biopolymer implant, transcervical approach, including transvaginal ultrasound	F	*	21-56
A4261	Cervical cap for contraceptive use	B	*	
A4266	Diaphragm for contraceptive use	B	*	12-56
A4267	Contraceptive supply, condom, male, each	B	*	Min 12
A4268	Contraceptive supply, condom, female, each	B	*	12-56
A4269	Contraceptive supply, spermicide (e.g., foam, gel), each	B	*	12-56
A4932	Rectal thermometer, reusable, any type, each	B	*	
E1399	Durable medical equipment, miscellaneous	B	*	
G0396	Alcohol and/or substance (other than tobacco) misuse structured assessment (e.g., audit, dast), and brief intervention 15 to 30 minutes	B	*	
G0445	Semiannual high intensity behavioral counseling to prevent STIs, individual, face-to-face, includes education skills training & guidance on how to change sexual behavior	B	*	Min 10
G0450	Screen for sexually transmitted infections, includes laboratory tests for chlamydia, gonorrhea, syphilis, and hepatitis B.	B	*	
G0463	Hospital outpatient clinic visit for assessment and management of a patient	B	-	

Code	Description	Sex	22 FS	Age
G0513	Prolonged preventive service(s) (beyond the typical service time of the primary procedure), in the office or other outpatient setting requiring direct patient contact beyond the usual service; first 30 minutes (list separately in addition to code for preventive service)	B	*	
G0514	Prolonged preventive service(s) (beyond the typical service time of the primary procedure), in the office or other outpatient setting requiring direct patient contact beyond the usual service; each additional 30 minutes (list separately in addition to code G0513 for additional 30 minutes of preventive service)	B	*	
G2212	Prolonged office or other outpatient evaluation and management service(s) beyond the maximum required time of the primary procedure which has been selected using total time on the date of the primary service; each additional 15 minutes by the physician or qualified healthcare professional, with or without direct patient contact (list separately in addition to CPT codes 99205, 99215 for office or other outpatient evaluation and management services) (Do not report G2212 on the same date of service as 99354, 99355, 99358, 99359, 99415, 99416). (Do not report G2212 for any time unit less than 15 minutes)	B	*	
J0171	Injection, adrenalin, epinephrine, 0.1 mg	B	*	
J1050	Injection, medroxyprogesterone acetate, 1 mg	B	*	12-58
J1568	Injection, immune globulin, (Octagam), intravenous, nonlyophilized (e.g., liquid), 500 mg	B	*	
J2250	Injection, midazolam HCl, per 1 mg	B	-	
J3010	Injection, fentanyl citrate, 0.1 mg	B	-	
J3490	Unclassified drugs	B	*	
J3590	Unclassified biologics	B	*	
J7294	Segesterone acetate and ethinyl estradiol 0.15 mg, 0.013 mg per 24 hours; yearly vaginal system, ea	B	*	
J7295	Ethinyl estradiol and etonogestrel 0.015 mg, 0.12 mg per 24 hours; monthly vaginal ring, ea	B	*	
J7296	Levonorgestrel-releasing intrauterine contraceptive system, (Kyleena), 19.5 mg	B	*	12-63
J7297	Levonorgestrel-releasing intrauterine contraceptive system (Liletta), 52 mg	B	*	12-63
J7298	Levonorgestrel-releasing intrauterine contraceptive system (Mirena), 52 mg	B	*	12-63
J7300	Intrauterine copper contraceptive	B	*	Min 12
J7301	Levonorgestrel-releasing intrauterine contraceptive system (Skyla), 13.5 mg	B	*	
J7304	Contraceptive supply, hormone containing patch, each	B	*	Min 12
J7306	Levonorgestrel (contraceptive) implant system, including implants and supplies	B	*	
J7307	Etonogestrel (contraceptive) implant system, including implant and supplies	B	*	
J8498	Antiemetic drug, rectal/suppository, not otherwise specified	B	*	
J8499	Prescription drug, oral, nonchemotherapeutic, NOS	B	*	
J8597	Antiemetic drug, oral, not otherwise specified	B	*	
S4989	Contraceptive intrauterine device (e.g., Progestacert IUD), including implants and supplies	B	*	12-56
S4993	Contraceptive pills for birth control	B	*	12-56
T1013	Sign language or oral interpretive services, per 15 minutes	B	*	
T1999	Miscellaneous therapeutic items and supplies, retail purchases, not otherwise classified; identify product in "remarks"	B	*	

Sex: F= Female Only, M= Male Only, B= Both Sexes; 22 FS: *= on PT 22 Fee Schedule; Age: Blank = no age restrictions