

**PUBLIC HEALTH DEPARTMENT[641]**

**Regulatory Analysis**

Notice of Intended Action to be published: 641—Chapter 68

“Control of Lead-Based Paint Hazards”

Iowa Code section(s) or chapter(s) authorizing rulemaking: 135.102

State or federal law(s) implemented by the rulemaking: Iowa Code section 135.102

*Public Hearing*

A public hearing at which persons may present their views orally or in writing will be held as follows:

November 6, 2024

Microsoft Teams

2 to 3 p.m.

Meeting ID: 238 807 808 374

Passcode: sCAuM5

*Public Comment*

Any interested person may submit written or oral comments concerning this Regulatory Analysis, which must be received by the Department of Health and Human Services no later than 4:30 p.m.

on the date of the public hearing. Comments should be directed to:

Victoria L. Daniels

Department of Health and Human Services

Lucas State Office Building

321 East 12th Street

Des Moines, Iowa 50319

Phone: 515.829.6021

Email: [compliancerules@hhs.iowa.gov](mailto:compliancerules@hhs.iowa.gov)

*Purpose and Summary*

## PUBLIC HEALTH DEPARTMENT[641]

The provisions of this chapter are applicable in jurisdictions in which a local board of public health has adopted this chapter for the purpose of requiring control of lead-based paint hazards where a child has been identified with an elevated blood lead level. Nothing in this chapter shall be construed as requiring a local board to adopt this chapter as a model regulation.

### *Analysis of Impact*

#### 1. Persons affected by the proposed rulemaking:

- Classes of persons that will bear the costs of the proposed rulemaking:

There are no costs associated with this rulemaking.

- Classes of persons that will benefit from the proposed rulemaking:

Children who live or stay in areas where there is hazardous lead-based paint, a dust-lead hazard, or a soil-lead hazard will benefit.

#### 2. Impact of the proposed rulemaking, economic or otherwise, including the nature and amount of all the different kinds of costs that would be incurred:

- Quantitative description of impact:

At last count, there were approximately 60 local jurisdictions that had adopted the model regulation.

- Qualitative description of impact:

This chapter serves as a model regulation for local boards of public health to use for lead hazard remediation in instances in which a child is confirmed as lead poisoned.

#### 3. Costs to the State:

- Implementation and enforcement costs borne by the agency or any other agency:

## PUBLIC HEALTH DEPARTMENT[641]

There are no costs to any agency for implementation of these rules; they merely serve as a model should any local boards of health choose to adopt them.

- Anticipated effect on state revenues:

There is no impact on state revenues.

4. Comparison of the costs and benefits of the proposed rulemaking to the costs and benefits of inaction:

Rulemaking is required by Iowa Code chapter 135.

5. Determination whether less costly methods or less intrusive methods exist for achieving the purpose of the proposed rulemaking:

Not applicable.

6. Alternative methods considered by the agency:

- Description of any alternative methods that were seriously considered by the agency:

None.

- Reasons why alternative methods were rejected in favor of the proposed rulemaking:

Rulemaking is required by Iowa Code chapter 135.

### *Small Business Impact*

If the rulemaking will have a substantial impact on small business, include a discussion of whether it would be feasible and practicable to do any of the following to reduce the impact of the rulemaking on small business:

- Establish less stringent compliance or reporting requirements in the rulemaking for small business.

- Establish less stringent schedules or deadlines in the rulemaking for compliance or reporting requirements for small business.

## PUBLIC HEALTH DEPARTMENT[641]

- Consolidate or simplify the rulemaking’s compliance or reporting requirements for small business.
- Establish performance standards to replace design or operational standards in the rulemaking for small business.
- Exempt small business from any or all requirements of the rulemaking.

If legal and feasible, how does the rulemaking use a method discussed above to reduce the substantial impact on small business?

This rulemaking has no impact on small business.

### *Text of Proposed Rulemaking*

ITEM 1. Rescind 641—Chapter 68 and adopt the following **new** chapter in lieu thereof:

#### CHAPTER 68

##### CONTROL OF LEAD-BASED PAINT HAZARDS

#### **641—68.1(135) Definitions.**

“*Certified elevated blood lead (EBL) inspector/risk assessor*” or “*inspector*” means a person who has met the requirements of rule 641—70.5(135) for certification or interim certification and who has been certified by the department.

“*Chewable surface*” means an interior or exterior surface painted with lead-based paint that a young child can mouth or chew.

“*Child-occupied facility*” means a building, or portion of a building, constructed prior to 1978, visited by the same child under the age of six years on at least two different days within any week (Sunday through Saturday period, provided that each day’s visit lasts at least three hours and the combined weekly visits last at least six hours).

“*Clearance testing*” means an activity conducted following interim controls, lead abatement, paint stabilization, standard treatments, ongoing lead-based paint maintenance, or rehabilitation to determine that the hazard reduction activities are complete. Clearance

**PUBLIC HEALTH DEPARTMENT[641]**

testing includes a visual assessment, the collection and analysis of environmental samples, the interpretation of sampling results, and the preparation of a report.

*“Deteriorated paint”* means any interior or exterior paint or other coating that is cracking, flaking, chipping, peeling, or chalking, or any paint or coating located on an interior or exterior surface that is otherwise damaged or separated from the substrate of a building component.

*“Dripline”* means the area within three feet surrounding the perimeter of a building.

*“Dust-lead hazard”* means surface dust in residential dwellings or child-occupied facilities that contains a mass-per-area concentration of lead greater than or equal to 40 micrograms per square foot on floors, 250 micrograms per square foot on interior windowsills, and 400 micrograms per square foot on window troughs based on wipe samples. A dust-lead hazard is present in a residential dwelling or child-occupied facility when the weighted arithmetic mean lead loading for all single-surface or composite samples of floors and interior windowsills is greater than or equal to 40 micrograms per square foot on floors, 250 micrograms per square foot on interior windowsills, and 400 micrograms per square foot on window troughs based on wipe samples. A dust-lead hazard is present on floors, interior windowsills, or window troughs in an unsampled residential dwelling in a multifamily dwelling if a dust-lead hazard is present on floors, interior windowsills, or window troughs, respectively, in at least one sampled residential unit on the property. A dust-lead hazard is present on floors, interior windowsills, or window troughs in an unsampled common area in a multifamily dwelling if a dust-lead hazard is present on floors, interior windowsills, or window troughs, respectively, in at least one sampled common area in the same common area group on the property. If dust samples are not taken, it may be assumed that surfaces in rooms with hazardous lead-based paint or where renovation, remodeling, or repainting has occurred recently are dust-lead hazards.

## PUBLIC HEALTH DEPARTMENT[641]

*“Elevated blood lead”* or *“EBL”* means one venous blood level greater than or equal to 20 micrograms per deciliter or at least two venous blood levels of 15 to 19 micrograms per deciliter.

*“Elevated blood lead child”* or *“EBL child”* means any child who has had one venous blood lead level greater than or equal to 20 micrograms per deciliter or at least two venous blood lead levels of 15 to 19 micrograms per deciliter.

*“Elevated blood lead inspection”* or *“EBL inspection”* means an inspection to determine the sources of lead exposure for an EBL child and the provision within ten working days of a written report explaining the results of the investigation to the property owner and occupant of the residential dwelling or child-occupied facility being inspected and to the parents of the EBL child. An inspector shall not determine that a residential dwelling is free of lead-based paint as a result of an EBL inspection.

*“Friction surface”* means an interior or exterior surface that is subject to abrasion or friction, including but not limited to certain window, floor, and stair surfaces.

*“Hazardous lead-based paint”* means lead-based paint that is present on a friction surface where there is evidence of abrasion or where the dust-lead level on the nearest horizontal surface underneath the friction surface (e.g., the windowsill or floor) is equal to or greater than the dust-lead hazard level, lead-based paint that is present on an impact surface that is damaged or otherwise deteriorated from impact, lead-based paint that is present on a chewable surface, or any other deteriorated lead-based paint in any residential building or child-occupied facility or on the exterior of a residential building or child-occupied facility.

*“Impact surface”* means an interior or exterior surface that is subject to damage by repeated sudden force such as certain parts of doorframes.

*“Lead-based paint”* means any paint or other surface coatings that contain lead equal to or in excess of 1.0 milligram of lead per square centimeter or more than 0.5 percent by

**PUBLIC HEALTH DEPARTMENT[641]**

weight. Lead-based paint is present on any surface that is tested and found to contain lead equal to or in excess of 1.0 milligram per square centimeter or more than 0.5 percent by weight and on any surface like a surface tested in the same room equivalent that has a similar painting history and that is found to be lead-based paint.

*“Lead-based paint hazard”* means hazardous lead-based paint, a dust-lead hazard, or a soil-lead hazard.

*“Local board”* means the local board of health as authorized by Iowa Code chapter 137.

*“Mid-yard”* means an area of a residential yard approximately midway between the dripline of a residential building and the nearest property boundary or between the driplines of a residential building and another building on the same property.

*“Occupant”* means any person living, sleeping, cooking or eating in, or having any actual possession of, a dwelling or dwelling unit.

*“Owner”* means any person who, alone or jointly with others (1) has legal title to any dwelling, with or without accompanying actual possession thereof, or (2) has charge, care or control of any dwelling by acting as the agent of the owner or as the executor, administrator, trustee, or guardian of the estate of the owner.

*“Paint-lead hazard”* means the presence of hazardous lead-based paint in a residential dwelling or a child-occupied facility.

*“Play area”* means an area of frequent soil contact by children of less than six years of age as indicated by but not limited to factors including the following: the presence of play equipment, toys, or other children’s possessions; observations of play patterns; or information provided by parents, residents, caregivers, or property owners.

*“Residential building”* means a building containing one or more residential dwellings.

*“Residential dwelling”* means (1) a detached single-family dwelling unit, including the surrounding yard, attached structures such as porches and stoops, and detached buildings

**PUBLIC HEALTH DEPARTMENT[641]**

and structures, including but not limited to garages, farm buildings, and fences; or (2) a single-family dwelling unit in a structure that contains more than one separate residential dwelling unit, that is used or occupied, or intended to be used or occupied, in whole or part, as the home or residence of one or more persons.

*“Retaliation”* means harassment, termination of the tenancy, discontinuation of utilities or other services, and any other action taken against the lessee.

*“Soil-lead hazard”* means bare soil on residential real property or on the property of a child-occupied facility that contains total lead greater than or equal to 400 parts per million for the dripline, mid-yard, and play areas. A soil-lead hazard is present in a dripline, mid-yard, or play area when the soil-lead concentration from a composite sample of bare soil is greater than or equal to 400 parts per million. If soil samples are not taken, it may be assumed that bare soil within three feet of the foundation of a garage or other structure built prior to 1978 is a soil-lead hazard.

**641—68.2(135) EBL inspections required.** The local board will appoint a certified inspector to conduct EBL inspections in residential dwellings and child-occupied facilities where an EBL child lives, visits, or has recently lived. All owners and occupants shall allow access to the residential dwellings and child-occupied facilities that the certified inspector desires to inspect.

**641—68.3(135) Refusal of admittance.** If the inspector appointed by the local board is refused entry to a property, then the inspector may make a complaint under oath to any magistrate of the county. The magistrate may issue a warrant directing the owner or occupant to allow the inspector to conduct an EBL inspection and directing a peace officer to accompany the inspector during the EBL inspection/risk assessment.

**641—68.4(135) Lead hazard reduction required.**



**PUBLIC HEALTH DEPARTMENT[641]**

**68.4(1)** When the certified inspector appointed by the local board determines that hazardous lead-based paint, a dust-lead hazard, or a soil-lead hazard is present in a residential dwelling unit or child-occupied facility where an EBL child lives, frequently visits, or has recently resided, the inspector shall issue a written notice to the owner within two weeks of the inspection and receipt of any laboratory results. The written notice shall require the owner to complete lead hazard reduction in a time period determined by the inspector. If the occupant who occupies the residential dwelling at the time that this written notice is issued vacates the residential dwelling, the residential dwelling shall not be leased or occupied by any other person until the inspector issues a written notice that the lead hazard reduction has been completed.

**68.4(2)** The owner of any residential dwelling or child-occupied facility that has been determined to contain hazardous lead-based paint, a soil-lead hazard, or a dust-lead hazard shall correct these hazards within the time period allowed by the inspector in the written notice. The following methods shall be used for lead hazard reduction. These methods do not require the services of a lead abatement contractor certified in accordance with rule 641—70.5(135). However, other local, state, or federal regulations may require the use of a contractor who has completed an eight-hour lead-safe work practices course or a lead abatement contractor or lead abatement worker certified in accordance with rule 641—70.5(135).

*a.* On a surface that contains hazardous lead-based paint, but is not chewable and does not have evidence of impact or friction, the lead-based paint hazard shall be reduced by removing all loose and deteriorated paint from the surface, preparing the surface for repainting, and repainting the surface with a lead-free coating.

**PUBLIC HEALTH DEPARTMENT[641]**

*b.* On a surface that contains hazardous lead-based paint and is chewable or has evidence of impact or friction, the lead-based paint hazard shall be reduced by treating the surface one inch back from the edge or corner through one of the following methods:

(1) All lead-based paint on the treatment area shall be removed to the bare substrate. The surface shall be prepared for repainting and repainted with a lead-free coating.

(2) The treatment area shall be covered with a permanently affixed lead-free material such as plastic, wood, or vinyl. Carpet may be used on floors and stair treads.

*c.* Dust-lead hazards shall be reduced by thoroughly cleaning the affected surface.

*d.* Soil-lead hazards shall be reduced by planting grass or groundcover, applying sod, or covering the affected area with six inches of bark, gravel, or other material.

*e.* Lead hazard reduction shall be conducted using lead-safe work practices to protect the safety of the occupants and workers. Occupants shall not enter the work area while work is underway. The following are prohibited methods of lead hazard reduction:

(1) Open-flame burning or torching of lead-based paint.

(2) Machine sanding or grinding or abrasive blasting or sandblasting of lead-based paint unless used with high-efficiency particulate air (HEPA) exhaust control that removes particles of 0.3 microns or larger from the air at 99.97 percent or greater efficiency.

(3) Uncontained water blasting of lead-based paint.

(4) Dry scraping or dry sanding of lead-based paint except in conjunction with the use of a heat gun or around electrical outlets.

(5) Operating a heat gun at a temperature above 1,100 degrees Fahrenheit.

**68.4(3)** The inspector shall inspect all areas identified as hazards after lead hazard reduction is complete. The inspector may conduct clearance testing pursuant to 641—Chapter 70 to ensure that no dust-lead hazards exist after the work is complete. Within two weeks of verifying that all lead hazard reduction has been completed as required, the

**PUBLIC HEALTH DEPARTMENT[641]**

inspector shall issue a written notice to the owner and occupant stating that the lead hazard reduction has been completed and that the repaired surfaces must be maintained in good condition.

**641—68.5(135) Retaliation prohibited.**

**68.5(1)** The lessor of a dwelling, the employees of the lessor, and agents or persons acting on behalf of the lessor shall not retaliate against lessees of residential dwellings and child-occupied facilities whose occupants or visitors have been tested for lead poisoning and shall not discourage the occupants or visitors from being tested for lead poisoning.

**68.5(2)** An action taken against the lessee is not considered retaliation if it is supported by reasonable cause unrelated to the testing of an occupant for lead poisoning or if it is shown to have occurred as a result of an accident or mistake and not to be the intentional act of the lessor of a dwelling, the employees of the lessor, or agents or persons acting on behalf of the lessor.

**641—68.6(135) Enforcement.** The inspector appointed by the local board will have the duty and responsibility of enforcing this chapter.

**68.6(1)** Penalties are as provided in Iowa Code section 137.21.

**68.6(2)** Upon failure of any person to correct a hazard identified through this chapter in the time specified by the inspector appointed by the local board, the local board may direct or cause the correction of said hazards. All expenses incurred thereby may be recovered by suit in the name of the local board, or the local board may certify the amount of the expenses, together with a description of the property, to the county treasurer, who will enter the same into the tax roll as costs for removing a lead hazard, and the amounts will be collected as other taxes.

**641—68.7(135) Hearings.** In the event any person is aggrieved by any order of the inspector, the person may appeal to the local board in writing within ten days of the date of

## PUBLIC HEALTH DEPARTMENT[641]

such order. The appeal shall state the reasons for requesting the order to be rescinded or modified. The local board will review the action of the inspector. The local board will order compliance with the order or may, with cause, modify or withdraw the order. Any order of the local board may be appealed within ten days to the district court for the county in which the local board is located.

**641—68.8(135) Variances.** The inspector may determine that a chewable surface that would otherwise be identified as a hazard by this chapter is not causing or does not have reasonable potential to cause lead exposure and is not required to be corrected through lead hazard reduction. The inspector shall document the reason for this determination in the inspection report. However, the inspector shall not, under any circumstances, determine that any other surface meeting the definition of hazardous lead-based paint does not need to be corrected through lead hazard reduction.

**641—68.9(135) Injunction.** Nothing in this chapter prevents a local board from pursuing injunctive relief or other relief as allowed by law.

**641—68.10(135) Effective date.** This chapter will be in effect in a jurisdiction after a local board adopts it.

These rules are intended to implement Iowa Code section 135.102.