Private Well funding through Grants to Counties

The Grants to Counties (GTC) program provides much needed funds to private well owners for well assessments, well sealing or plugging, and well rehabilitation. Questions often arise that leave the county environmental health employee wondering if a private well related activity qualifies for GTC funding. This document is meant to clarify what types of wells and activities qualify for GTC funding.

Step 1: Is it a private well by definition?

First, to qualify for GTC, the well needs to be a private water well:

"Private water well" means a well that does not supply a public water supply system.

Definition of a public water supply system:

"Public water supply system" means a system for the provision to the public of piped water for human consumption, if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days out of the year. The term includes (1) any collection, treatment, storage, and distribution facilities under control of the supplier of water and used primarily in connection with the system, and (2) any collection (including wells) or pretreatment storage facilities not under the control which are used primarily in connection with the system.

If the well is a public water supply system, as defined above, it does not qualify for GTC funds.

If the well meets the definition of a private well, as defined above, proceed to *Step 2*.

Step 2: Types of Private Wells that qualify

In this step, private wells are further defined by two categories: Wells that Qualify and Wells that DO NOT Qualify.

Wells that Qualify

- Private homeowner-use or farm-related water supply wells
- Potable water for humans or livestock
- Non-potable wells
- Irrigation wells
- Plant process water wells
- Privately owned water-level monitoring wells to check for well interference issues
- Newly discovered old wells on private or community property
- Community owned wells that were gifted or donated as part of a property but aren't used as a public water supply (limits on funding eligibility).
- Former public wells that are disconnected from the public water supply and were not/are not owned by towns, cities, or communities (local governments have tax base to cover fund these activities).
- Geothermal water supply wells owned by individuals or entities (ground heat exchange loops do not qualify)

Wells that DO NOT Qualify

- Monitoring wells
 - Underground storage tank [UST], leaking underground storage tank [LUST] sites, landfills, animal feeding operations [AFO], confined animal feeding operations [CAFO], DNR or EPA required monitoring wells – contaminated sites, Superfund sites, pump and treat facilities for contaminated sites, pipeline industry, bulk facility, fertilizer production, railroad, etc.

- Former city, town, or community owned public water supply wells
- Abandoned/unsuccessful geothermal loop boreholes or GHEX loops
- River levee relief wells
- Dewatering wells
- Geotechnical exploration wells and Geoprobe boreholes
- Elevator shaft wells
- Mine wells, air-shaft or conduit boreholes
- Cathodic protection wells associated with radio towers, pipelines, and other large structures in contact with the ground.
- Any other type of well that was not used for a defined consumption call to ask!

If the well qualifies based on the above criteria, please move to Step 3.

Step 3: Services that Qualify

This step defines the types of activities and well services that qualify for GTC funding. The well owner or certified well contractor must contact you prior to starting the work in order to qualify for GTC funding. This allows you the opportunity to observe their work, verify their methods, and gain insight to the quality of work that is performed by the contractor.

Private Well Testing

The county health specialist must collect the samples. Homeowners can not send you a bill for sampling they or anyone else performed.

Standard tests that are covered under GTC include nitrate, bacteria, manganese, and arsenic. Requests for covering the costs of other analytes will be reviewed on a case-by-case basis, but at a minimum, the requested analyte must have a United States Environmental Protection Agency (EPA) maximum contaminant level (MCL) or health advisory level (HA). Requests for reimbursement of other analytes must be submitted via email to IDPH.

Private Well Plugging

Wells must be plugged by an Iowa Certified Well Contractor. The work can also be performed by the homeowner only, under the supervision of the county health specialist. Well drillers can plug all types of wells, pump installers can plug all types of wells, and well pluggers can only plug Class 1 wells (18-inches or greater in diameter and less than 100 feet deep) and Class 3 wells (sandpoint wells). Please refer to <u>Iowa Administrative</u> <u>Code (IAC) 567 Chapter 39</u> for well plugging requirements. Sandpoint wells qualify for plugging through GTC.

Cistern Plugging

Cisterns must be plugged if they pose a hazard to groundwater, however, lowa does not have specific standards when it comes to plugging a cistern. The following is recommended guidance: remove any trash and hazardous debris; cap, close, or plug/seal any pipes; create holes in the bottom of the cistern to allow for drainage – you do not want water to pool in the plugged cistern as it may cause soft spots, foul odors, and/or water to back up into existing piping; break down the cistern top and sidewalls 1-2 feet beneath the surface (this material may be left in the bottom); fill the cistern with clean flowable fill such as sand, screened clay, or screened topsoil and compact the material with a mechanical compactor; and finish the top to match the surface of the surrounding area.

Well Rehabilitation/Reconstruction

The only type of rehabilitation/reconstruction work that qualifies for funding is work that prevents contamination of an aquifer, however, improving the quality of the drinking water is a benefit of that work. Bacterial contamination, other serious contamination issues, or to prevent the contamination to the aquifer are the primary reasons for well rehabilitation funding. The following two paragraphs address questions related to wells with multiple contaminants.

Wells with multiple man-made or surface contaminants (anthropogenic):

Will not qualify for reimbursement of shock chlorination because that will only fix the bacteria but will not eliminate the other anthropogenic sources (e.g. nitrates, pesticides, herbicides, fertilizers, etc.) from entering the well and aquifer. However, well reconstruction or rehabilitation (besides chlorination or disinfection only) that is meant to eliminate multiple anthropogenic sources will qualify for the services listed in Table 1. This is because these services will help prevent aquifer contamination. Remember, some wells may still be disqualified because they meet multiple criteria listed in Table 2.

Wells with multiple contaminants when bacteria are the only anthropogenic source:

If bacteria are the only anthropogenic source, these wells will qualify for shock chlorination if the other contaminants are from natural geological sources (e.g. arsenic and manganese). They also qualify for all other services listed in Table 1. Remember, some wells may still be disqualified because they meet multiple criteria listed in Table 2.

Listed below are examples of work and well issues that QUALIFY and DO NOT QUALIFY for well rehabilitation/reconstruction funding. Please reach out to the Private Well Program for further clarification.

TABLE 1: Examples of work or well issues that QUALIFY for GTC funding:

Extension of well casing	Improving grouting
Elimination or relocation of a well pit	 Installation of a liner and new grouting
 Installation of a pitless adapter 	Replacement of a well cap
Buried slab reconstruction	Wellhead grade and drainage improvement
Shock chlorination or disinfection	

TABLE 2: Examples of work or well issues that DO NOT QUALIFY for GTC funding:

Repair or replacement of a pump	Pressure tank			
Electrical wiring work	Piping or plumbing			
Controls	Repair of water treatment equipment			
 Improvement of pump capacity 	 Non-health related water quality 			
Rock or brick cased wells	Wells contaminated with nitrate only			
 Wells that draw water from a surficial or 	 Shock chlorination for wells subject to 			
unconfined aquifer (except eliminating a well	contamination by multiple anthropogenic			
pit)	sources			
 Wells that don't meet separation distance 				
requirements				

Proceed to Step 4 to see the reimbursement amounts for the well services that qualify for GTC funding.

Continued on next page

Step 4: Reimbursement Amounts for Services

ltem	Payable to Well Owner	Administrative Fee	Maximum Unit Cost
Well Testing	Actual cost of nitrate, bacteria,	\$60	Actual cost plus \$60
	and/or arsenic analysis		
Well Testing	Actual cost of Other Water Tests	\$60	Actual cost plus \$60
	*Contact Mindy Uhle		
Well Plugging	Actual cost up to \$500	\$75	\$575
Cistern Plugging	Actual cost up to \$300	\$75	\$375
Well Reconstruction and	Actual cost up to \$1000	33% of actual cost	\$1330
Rehabilitation	*Actual cost for shock chlorination		
*including shock	up to \$300		
chlorination and well	*Actual cost for well assessment up		
assessment	to \$500		

The table below shows the maximum reimbursement for each type of service.

Contact Information: Erik Day Iowa DNR - Private Well Program 515-402-7981 erik.day@dnr.iowa.gov

Mindy Uhle Iowa HHS – Public Health 515-499-1395 melinda.uhle@idph.iowa.gov

End of document.