



The 2022 Rankings include deaths attributable to COVID-19 from 2020. See our FAQs for more information on COVID-specific data.

## Shelby (SH) 2022 Rankings

Download Iowa Rankings Data

| County Demographics                      |        |           |
|--|--------|-----------|
|  | County | State     |
| Population                               | 11,430 | 3,163,561 |
| % below 18 years of age                  | 22.5%  | 22.9%     |
| % 65 and older                           | 23.5%  | 17.9%     |
| % Non-Hispanic Black                     | 0.9%   | 4.0%      |
| % American Indian & Alaska Native        | 0.6%   | 0.6%      |
| % Asian                                  | 0.6%   | 2.8%      |
| % Native Hawaiian/Other Pacific Islander | 0.1%   | 0.2%      |
| % Hispanic                               | 3.5%   | 6.5%      |
| % Non-Hispanic White                     | 93.5%  | 84.5%     |
| % not proficient in English **           | 0%     | 2%        |
| % Females                                | 50.5%  | 50.2%     |
| % Rural                                  | 59.4%  | 36.0%     |

|  | County                                       | Error<br>Margin  | Top U.S.<br>Performers ^                               | lowa   |
|--|--|--|--|--|
| Health Outcomes  |  |  |  |  |
| Length of Life   |  |  |  |  |
| Premature death  | 5,900  | 4,400-7,400  | 5,600  | 6,500  |
| Quality of Life  |  |  |  |  |
| Poor or fair health ** Poor physical health days ** Poor mental health days ** Low birthweight   | 14%<br>3.3<br>4.1<br>6%                      | 12-16%<br>3.0-3.5<br>3.8-4.4<br>5-8%                       | 15%<br>3.4<br>4.0<br>6%                                | 14%<br>3.1<br>4.1<br>7%                                |
| Additional Health Outcomes (not included in overall ranking)   |  |  |  |  |
| COVID-19 age-adjusted mortality ** Life expectancy Premature age-adjusted mortality Child mortality Infant mortality Frequent physical distress ** Frequent mental distress ** Diabetes prevalence ** HIV prevalence | 118<br>79.4<br>350<br>10%<br>13%<br>9%<br>62 | 76-174<br>78.0-80.9<br>290-400<br>9-11%<br>12-14%<br>8-10% | 43<br>80.6<br>290<br>40<br>4<br>10%<br>13%<br>8%<br>38 | 99<br>78.7<br>340<br>50<br>5<br>9%<br>13%<br>9%<br>110 |
| Health Factors   |  |  |  |  |
| Health Behaviors   |  |  |  |  |
| Adult smoking ** Adult obesity ** Food environment index Physical inactivity ** Access to exercise opportunities   | 18%<br>35%<br>8.8<br>27%<br>44%              | 16-21%<br>33-37%<br>24-30%                                 | 15%<br>30%<br>8.8<br>23%<br>86%                        | 17%<br>34%<br>8.4<br>26%<br>73%                        |

| 5/5/22, 1:14 PM Shelby County, Iowa   County Health Rankings & Roadmaps  |  |   |  |  |  |
|--|--|---|--|--|--|
| Excessive drinking ** Alcohol-impaired driving deaths Sexually transmitted infections Teen births  | 25%<br>36%<br>270.6<br>16  | 24-27%<br>20-52%<br>12-22                     | 15%<br>10%<br>161.8<br>11                                | 25%<br>27%<br>508.5<br>16  |  |
| Additional Health Behaviors (not included in overall ranking) Food insecurity Limited access to healthy foods Drug overdose deaths Motor vehicle crash deaths Insufficient sleep **  | 8%<br>6%<br>13<br>32%  | 7-24<br>30-34%                                | 9%<br>2%<br>11<br>9<br>32%                               | 9%<br>6%<br>11<br>11<br>33%  |  |
| Clinical Care Uninsured Primary care physicians Dentists Mental health providers Preventable hospital stays Mammography screening Flu vaccinations   | 6%<br>1,910:1<br>1,630:1<br>880:1<br>3,048<br>55%<br>56%                 | 5-6%  | 6%<br>1,010:1<br>1,210:1<br>250:1<br>2,233<br>52%<br>55% | 6%<br>1,350:1<br>1,440:1<br>570:1<br>3,134<br>53%<br>54%                     |  |
| Additional Clinical Care (not included in overall ranking) Uninsured adults Uninsured children Other primary care providers  | 7%<br>3%<br>1,430:1  | 6-8%<br>2-4%                                  | 7%<br>3%<br>580:1  | 7%<br>3%<br>840:1  |  |
| Social & Economic Factors  High school completion  Some college  Unemployment  Children in poverty  Income inequality  Children in single-parent households  Social associations  Violent crime  Injury deaths   | 92%<br>70%<br>3.6%<br>9%<br>4.4<br>12%<br>15.7                           | 90-94%<br>61-80%<br>6-13%<br>3.6-5.2<br>6-17% | 94%<br>74%<br>4.0%<br>9%<br>3.7<br>14%<br>18.1<br>63     | 92%<br>71%<br>5.3%<br>12%<br>4.2<br>21%<br>14.8<br>282                       |  |
| Additional Social & Economic Factors (not included in overall religions to the light school graduation of the light school graduation of the light school graduation of the light scores of the light scores of the light scores of the light scores of the light score of the light sc | sanking) 96%  3.1 3.0 0.03 \$1,019 0.79 \$54,200 \$37.27 36% 54 44 30% 9 | 0.69-0.89<br>\$48,800 to \$59,700             | 96% 4% 3.3 3.4 0.02 0.88 \$75,100 32% 27 16 18% 12 2 11  | 91% 6% 3.1 3.1 0.19 \$1,880 0.78 \$62,400 \$37.38 42% 62 45 24% 8 3 16 10 37 |  |
| Physical Environment Air pollution - particulate matter Drinking water violations Severe housing problems Driving alone to work Long commute - driving alone Additional Physical Environment (not included in overall ranki  | •  | 6-11%<br>76-81%<br>18-26%                     | 5.9<br>9%<br>72%<br>16%                                  | 8.2<br>12%<br>80%<br>21%   |  |
| Traffic volume Homeownership Severe housing cost burden Broadband access   | 27<br>75%<br>8%<br>79%   | 71-79%<br>5-12%<br>75-82%                     | 81%<br>7%<br>88%   | 260<br>71%<br>10%<br>83%   |  |

<sup>^ 10</sup>th/90th percentile, i.e., only 10% are better.

Note: Blank values reflect unreliable or missing data

<sup>\*\*</sup> Data should not be compared with prior years