

Public Health

IOWA HHS

Bureau of Radiological Health
Lucas State Office Building, 5th Floor
321 East 12th Street, Des Moines, IA 50319
LIMITED RADIOGRAPHY INITIAL CLINICAL SITE FORM

Trainee: _____
(print name)

A principal instructor shall:

1. Be an Iowa-licensed podiatrist; or
2. Be an Iowa-permitted general radiologic technologist and have at least two years of current experience in radiography; or
3. Hold a current ARRT registration and have at least two years of current experience in radiography if the clinical site is located outside of Iowa

A clinical instructor shall:

1. Be an Iowa-licensed podiatrist; or
2. Be an Iowa-permitted limited radiologic technologist in the category of extremities and have at least two years of current experience in radiography; or
3. Be an Iowa-permitted X-ray equipment operator in podiatry and have at least two years of current experience in radiography; or
4. Be an Iowa-permitted general radiologic technologist and have at least two years of current experience in radiography; or
5. Hold a current ARRT registration and have at least two years of current experience in radiography if the clinical site is located outside of Iowa

Clinical instructors shall be supervised by the principal instructor. A principal instructor may also act as clinical instructor, if applicable. All competency testing for limited radiography shall be directly supervised by the principal or clinical instructor. Clinical instructors shall directly supervise all students before the student's competency for a specific projection is documented and indirectly supervise after the student's competency for a specific projection is documented.

By signing below, you are agreeing that you meet these minimum requirements.

Site where clinical education will take place :

Signature of Trainee

Date

Principal Instructor Name (printed)

Principal Instructor Signature

Date

Clinical Instructor Name (printed)

Clinical Instructor Signature

Date