

Setup Library _ □ ×

Library Name References

Setup Library Information | Key Parameters | Fuel Costs (1) | Fuel Price Indices | Library Measures | User Defined Measures (121) | NEAT Insulation Types

Attic			Knee Wall		Wall		
	Name	Rs/Inch	Name	R-Value	Name	Value	Units
Type 1	<input type="text" value="Blown Cellulose"/>	3.75	<input type="text" value="Fiberglass Batts"/>	11	<input type="text" value="Blown Cellulose"/>	3.71	R/in ▾
Type 2	<input type="text" value="Blown Fiberglass"/>	3.09	<input type="text" value="Blown Cellulose"/>	13	<input type="text" value="Fiberglass Batt"/>	13	R ▾
Type 3	<input type="text" value="Fiberglass Batt"/>	3.14	<input type="text" value="Fiberglass Batts 16\"/>	11	<input type="text" value="Blown Fiberglass"/>	3.6	R/in ▾
Type 4	<input type="text"/>		<input type="text" value="Fiberglass Batts 24\"/>	11	<input type="text"/>		▾
Type 5	<input type="text"/>		<input type="text" value="2 Part Foam"/>	12	<input type="text"/>		▾
Type 6	<input type="text"/>		<input type="text"/>		<input type="text"/>		▾

Floor			Sill		Foundation Wall	
	Name	Rs/Inch	Name	R-Value	Name	R-Value
Type 1	<input type="text" value="Fiberglass Batts"/>	3.33	<input type="text" value="Fiberglass Batts"/>	19	<input type="text" value="Rigid Foam Board"/>	11
Type 2	<input type="text" value="Blown Cellulose"/>	3.7	<input type="text" value="Foil Face Rigid Foam Board"/>	19	<input type="text" value="Fiberglass"/>	11
Type 3	<input type="text"/>		<input type="text" value="2 Part Foam"/>	19	<input type="text" value="Wet Spray Cellulose"/>	11
Type 4	<input type="text"/>		<input type="text"/>		<input type="text" value="2 Part Foam"/>	11
Type 5	<input type="text"/>		<input type="text"/>		<input type="text"/>	
Type 6	<input type="text"/>		<input type="text"/>		<input type="text"/>	

Insulation type names can be up to 30 characters in length